

Planetary Mixers - Planetary Mixer, 30 It. Electronic with Hub - UK Plug



Planetary Mixers

Planetary Mixer, 30 It. - Electronic with Hub - UK Plug

601894 (XBMF30ASG)

30 It planetary mixer with mechanical speed variation. Equipped with spiral hook, beater, whisk and H type accessory hub. UK plug.

Short Form Specification

Item No.

Floor model, suitable for all kneading, blending and whipping operations. Body in non-corrosive material with 18/8 (AISI 302) 30 litre capacity stainless steel bowl. Powerful asynchronous motor (750 W) with mechanical speed variator (8 speed levels from 35 to 180 rpm). Water protected planetary system. Pivoting and removable wire safety screen. Water proof (IP55) and flat touch button control panel with 60 min. timer. A safety device will automatically stop the machine when the bowl is lowered. Adjustable feet for stability. Equipped with accessory drive hub type H (accessories are not included).

Supplied with 3 tools: spiral hook, paddle and whisk. UK plug.

ITEM #	
MODEL #	
NAME #	
SIS #	
AIA #	

Main Features

- Professional beater mixer that provides all the basic mixer functions: kneading of all sort of pastes, mixing of semiliquid products, emulsions and various sauces.
- Delivered with:
 Spirel Healt, Deddle, Win
- Spiral Hook, Paddle, Wire Whisk and Mixing Bowl for 30 It.
- Accessory drive hub (accessories are not included).
- Waterproof touch button control panel with timer setting and display.
- Mechanical speed variator.
- Maximum capacity (flour, with 60% of hydration) 7 kg, suitable for 100-300 meals per service.
- Pivoting and removable wire safety screen for easier and better cleaning.
- Raising and lowering of the bowl controlled by lever with an automatic locking of the bowl when in the raised position.
- Safety device will automatically stop the machine when the bowl is lowered.

Construction

- Body in non-corrosive material.
- · Height adjustable feet.
- Sturdy construction with mechanically welded strong metal frame.
- 302 AISI Stainless steel bowl 30 lt. capacity.
- Asynchronous motor with high start-up torque.
- 8 speeds, from 35 to 180 prm, to be lever operated while the machine is working, according to the tool and the mixture hardness.
- controls, IP23 overall machine).
- Power: 750 watts.
- Planetary movement based on self lubricating gears, eliminating any risk of leaks.

Water protected planetary system (IP55 electrical

Electrolux

APPROVAL:

Electrolux Professional www.electrolux.com/foodservice foodservice@electrolux.com



Included Accessories

Included Accessories			
 1 of Additional Bowl 30 It 	PNC	65316	0
 1 of Additional Spiral Hook 30 It 	PNC	65316	1
 1 of Additional Paddle 30 It 	PNC	65316	5
 1 of Additional Whisk 30 It 	PNC	65316	6
Optional Accessories			
Vegetable cutter for H hub with ejector	PNC	65301	5 🗅
• Sharpening grindstone for H accessory hub	PNC	65306	2 🗅
 20 It reduction kit (bowl, spiral hook, paddle, whisk) for 30 It planetary mixers 	PNC	65315	9 🗖
 Additional Bowl 30 It 	PNC	65316	0 🗆
 Additional Spiral Hook 30 It 		65316	
 Additional Paddle 30 It 		65316	
 Additional Whisk 30 It 		65316	
 Puree strainer for H hub with 3 grids 		65318	
• Vegetable cutter for H hub, disconnectable		65322	
 10 It capacity planetary mixer, attachment type H and 3 tools included 	PNC	65322	6 🗖
Reinforced whisk for 30lt planetary mixers		65325	
 Stainless steel dish shelf for 20lt and 30lt planetary mixers 		65343	
 10 It reduction equipment (bowl and 3 tools) and removable spout 	PNC	65349	4 🗆
 Kit wheels for 20/30/40 litre planetary mixers 	PNC	65355	2 🗖
• Bowl trolley for 20/30 lt planetary mixers (cannot be used with wheel kit 653552)	PNC	65356	2 🗖
 Full plastic safety screen for 20/30 lt planetary mixers 	PNC	65362	2 🗖
 Aluminium external support for 70 mm meat mincer (includes tray and pusher) - H HUB - To be combined with a meat mincer kit 	PNC	65372	0 🗖
 Aluminium meat mincer kit 70 mm - Enterprise cut, includes blade (3 discs, diam. 4.5 - 6 and 8 mm) 	PNC	65372	1 🗅
 Stainless steel meat mincer kit 70 mm - Enterprise cut, includes blade (3 discs, dim 4.5 4 and 9 mm) 	PNC	65372	2 🗖

Stainless steel meat mincer kit 70 mm - 1/2PNC 653723
Unger cut, includes blade (4 discs, diam. 0, 3 - 4.5 and 8 mm)

diam. 4.5 - 6 and 8 mm)



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

Electrolux

Front 532[.] Тор 685 Ŷ **EI** = Electrical connection Side EI 90

Planetary Mixers Planetary Mixer, 30 It. -Electronic with Hub - UK Plug

Electric

Supply voltage: 601894 (XBMF30ASG)	220240 V/1N ph/50 Hz
Capacity	
Performance (up to):	7 - kg/Cycle
Capacity	30 liter
Key Information	
External dimensions, Height	1230 mm

External dimensions, Height External dimensions, Width External dimensions, Depth Shipping weight: Net weight (kg): Cold water paste: Egg whites: 532 mm 685 mm 116 kg 110 7 kg with Spiral hook 50 with Whisk

Planetary Mixers Planetary Mixer, 30 It. - Electronic with Hub - UK Plug

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.