

WATER FILTERS 04/27/17 Item # 13076

Item #: Project: \_\_\_ AIA#:

E-10 PREFILTER (9795-80)

**E-20 PREFILTER** (9795-90)



E-10 and E-20 Prefilters can be used for ice. Everpure prefilters are designed to increase the life of Hoshizaki 4HC-H water filters in areas with an unusual amount of dirt in the water. With a 10 micron (nominal) rating, the economical Everpure prefilter traps much of the dirt which contributes to scale buildup in ice makers, and clogs the delicate orifices of other water-using equiment.

When you install an Everpure prefilter, the Hoshizaki 4HC-H water filters can concentrate on what they do best: remove particles one (1) micron nominal and larger in size.

Replacement Cartridges:

E-10 Prefilters: 12 pack (9534-12)

40 pack (9534-40)

F-20 Prefilters: 6 pack (9534-26)

20 pack (9534-20)









## Warranty:

5 Year on all heads offered

Valid in United States, Canada, Puerto Rico and U.S. Territories. Contact factory for warranty in other countries.

**H9320 FILTER** Single, Double, Triple \*height includes manifold and cartridge



**Single Configuration** 18.4" H







**Triple Configuration** 

- · Keep ice makers functioning at full capacity
- 93.7% average reduction of chlorine from incoming water supply, eliminating tastes and odors of the ice
- Filters are rated as one (1) micron nominal producing crystal clear ice
- Decrease machine maintenance by reducing lime scale build-up

## **HOSHIZAKI H9320 FILTER**

Available in single, double and triple configurations. Rated NSF Class 1, STD 42, for taste, odor and chlorine reduction and for mechanical filtration (95.6% removal of particles one (1) micron and larger in size.)

The H9320 Filters and their respective cartridges have been tested and listed by NSF only for the functions listed above. Check for compliance with state and local laws and regulations. Do not use where the water is microbiologically unsafe, or with waters of unknown quality without adequate disinfection before or after the unit. The H9320 filter can be used with water that may contain filterable cysts.



The H9320 System is tested and certified by NSF International against NSF/ANSI Standard 42 for the reduction of:

Std. No. 42 - Aesthetic effects

Aesthetic Effects Bacteriostatic Effects Chemical Reduction

Mechanical Filtration Nominal Particulate Class 1

Taste & Odor Chlorine

Printed in the U.S.A.

© HOSHIZAKI AMERICA, INC. 618 Hwy, 74 S., Peachtree City, GA 30269 | TEL 800-438-6087 | FAX 800-345-1325 | www.hoshizakiamerica.com

Hoshizaki reserves the right to change specifications without notice.

Model Number	Description Flow Rate (Gal. per min.)	Undercounter KMs	KM Cubers	IM Cubers	Flakers	DCMs
H9320-51	Single (2 GPM)	AM-50 KM-61 KM-101 KM-151 KM-201 KM-260	KM-340, 515 KML-325, 500, 700 KMD-410, 460, 530 KMS-830 DKM-500	IM-200BAA IM-500SAA	All Models	All Models
H9320-52	Twin 2 x (2 GPM)	N/A	KM-600, 650, 901 1340M, 1601M 1601S, 1900S, 2100S KMD-850M, 901 KMS-822,1122 1401 KMH-2000S	N/A	N/A	N/A
H9320-53	Triple 3 x (2 GPM)	N/A	KM-1301S KMS-2000 KM-2600S	N/A	N/A	N/A
H9655-11	Replacement Cartridge (1) One each					