



Product and Assembly Instructions

AG12 Coffee Ground Hopper

Materials:

	ITEMS	MATERIALS
1	All metallic parts	Stainless steel 1.4301X5CrNi1810 (EN10088-3) or AISI 304
2	Handle	ABS
3	Protective film	Polyethylene (PE)
4	Steam protection cover	Polyethylene (PE)
5	Knock-out bar	Iron & polyethylene (PE) & nylon
6	Rotation elements	Nylon

All items having contacts with food are made with materials complying with the Italian Law DL 21/3/1973

Cleaning & Maintenance Instructions

To clean metal parts use a soft cloth soaked in warm water and neutral detergent. **Do not use acids.**

To clean plastic parts use warm water and soap. **Do not use acids or solvents.**

Always use protective gloves - Pay attention and always use protective gloves during cleaning. The metal edges can cause abrasions and injuries.

Technical Information

Loading capacity: max 10kg (21.6lb)

Knocking cycles: up to 1,000,000


ASSEMBLY INSTRUCTIONS

Advice:

Do not remove the polyethylene film from the front of the drawer until assembly is complete.

Contents:

- 1 x Frame & steam protection cover
- 1 x Hopper
- 1 x Plastic container
- 1 x Knock-out bar



1. Insert the frame with steam protection cover into the counter hole.

The steam protection may not be free in the centre hole, if necessary put a thicker spacer under the cover.



2. Fix the top of the frame to the counter with 4 self-threading screws (screws not included).

Repeat for the bottom of the frame.



3. Insert the hopper into the frame.
(remove the plastic inner container before inserting or removing the hopper).



4. Remove the plastic inner container for cleaning



5. Insert the knock-out bar and waste bag for use.



Die-Pat Divisions Ltd
The Die-Pat Centre
Broad March
Long March Industrial Estate
Daventry
Northamptonshire
NN11 4HE

01327 311144 - www.die-pat.co.uk - sales@die-pat.co.uk