

ALFA241XM



Professional humidified, convection oven in stainless steel, 6 trays 600x400mm or GN1/1

Product family	Ovens
Type	Convection Ovens
Range	6 and 10 trays 600x400mm
Line	6 trays 600x400mm
Outside dimensions (WxDxH)	872x810x805 mm
Power supply	electrical

+ TECHNICAL DATA

Control type: electromechanical

Capacity: 6 trays

Power supply / Total power installed: 400V 3N 50Hz / 8.3 kW

Outside dimensions (WxDxH): 872x810x805 mm

Weight (net/gross): 94/114 kg

Distance between trays: 80mm

Humidification system: direct on each fan, with manual setting

Thermostat setting range: 50 - 250°C

Timer setting range: 0 - 60' / Manual

No. of fans: 2. Fans turning in opposite directions, with timed direction reversal

Cooking chamber: stainless steel

Opening door: side opening door with left hand hinges

Trays dimensions (mm): 600x400 or GN1/1

Power supply: electrical

Cooking functions: Convection; Convection + Humidification

Compatible tray sizes: GN1/1 with minimum depth 20mm

Structure: stainless steel

Adjustable feet

Triple glazed cool door, which can be completely opened for cleaning

Steam exhaust adjustment knob

Connection to water mains with a 3/4 threaded fitting on the back of the appliance

+ ACCESSORIES

3805 - 4 chromed wire grids kit, 600x400mm

3810 - 4 chrome wire grids kit, 600x400mm, waved for baguette

3743 - 4 aluminium trays kit, 600x400mm

3751 - 4 perforated aluminium trays kit, 600x400mm

K400X - Stainless steel extractor hood for ovens series ALFA241 and ALFA341

K400XC - Stainless steel extractor hood with steam condensed for ovens series ALFA241 and ALFA341

3922 - Air flow reduction kit (2 pcs), for ovens series ALFA241

TVL240 - Frame stand in stainless steel with trays guide, for oven series ALFA241

RGN11-6

4730 - External 5 lt. tank kit

Smeg S.p.A. Via Leonardo Da Vinci, 4 - 42016 Guastalla (RE) Italy - P. IVA 01555030350

Phone +39 0522 8211 - Fax +39 0522 821453 - foodservice@smeg.it

