



SAFETY DATA SHEET

Chlorinated Auto Dishwash Doc 97 Rev 1

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING					
1.1 Product Name	Chlorinated Auto Dishwash				
1.2 Other Names	Chlorinated Auto Dishwash	Chlorinated Auto Dishwash			
SDS No	C2/409-CLP	Rev Date:	30 th March 2015	Rev No: 1	
1.3 Application	Catering cleaning				
1.4 Supplier	Prime Industries Limited, Unit 2 Broughton Way, Halebank Industrial Estate, Widnes, WA8 8YX. PHONE 0151 423 0110 FAX 0151 423 0770 sales@primeindustries.co.uk				
1.5 Emergency Contact Number	0151 423 0110 (Hours of Operation – 06.00 to 18:00 Monday to Friday)				

SECTION 2. HAZARD IDENTIFICATION				
Classification (1999/45/EEC)				
2.1 Classification	Corrosive			
2.2 Labelling				
Risk Statements	R35 – Causes severe burns R50 – Toxic to aquatic organisms			
Safety Statements	 S2 – Keep out of reach of children S24/25 – Avoid contact with skin and eyes. S26 – In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S28 – After contact with skin, wash immediately with plenty of soap suds S36/37/39 – Wear suitable protective clothing, gloves and eye/face protection S45 – In case of accident or if you feel unwell, seek medical advice immediately (show label where possible 			
2.3 Other Hazards				

Classification (EC1272/2008)				
2.1 Signal Word	Danger,			
2.1 Classification	Physical: Met. Corr.1 – H290			
	Health: Skin Corr. 1 – H314			
	Environmental Aquatic Acute 1 – H400			
Hazard	H290 – May be corrosive to metals			
	H314 – Causes severe skin burns and eye damage			
Statements	H400 – Very toxic to aquatic life			
Precautionary	P102 – Keep out of reach of children			
-	P234 – Keep only in original container			
Statements	P264 – Wash hands thoroughly after handling			

ED100	
LL 122	

	P273 – Avoid release to the environment P280 – Wear protective gloves, protective clothing, eye protection face protection P305+351+338 If in eyes: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing				
2.2 Labelling					
	GHS05	GHS09			
2.3 Other Hazards					

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS					
3.2 Mixture					
Product	EC (EINECS No.		CAS-No.	%	
Sodium Hydroxide Solution	215-185-5		1310-73-2	<10	
Classification (EC 1272/2008)		Classification (67/548/EEC)			
Physical: Met. Corr.1 – H290. Health: Skin Corr. 1a – H314. Environmental: Not Classified.		C; R35			
Product	EC (EINECS No.		CAS-No.	%	
Sodium Hypochlorite Solution 231-668-3			7681-52-9	<5	
Classification (EC 1272/2008)		Classification (67/548/EEC)			
Physical: Met Corr. 1 – H290. Health: EUH031, Skin Corr. 1b – H314, STOT SE 3 – H335 Environmental: Aquatic Acute 1 – H400.		C; R34 R31 N; R50			

For the full text of the R-phrases mentioned in this section, see section 16.

For the full text of the H-statements mentioned in this section, see section 16.

4.1 Description of First	
Inhalation	Move exposed person to fresh air. Get medical attention
Ingestion	Get medical advice immediately! Do Not Induce Vomiting! Immediately rinse mouth and drink plenty of water
Skin Contact	Remove contaminated clothing immediately and wash with soap and water. Get medical attention immediately
Eye Contact	Immediately flush with plenty of water for up to 15 minutes. Remove contact lenses if safe and easy to do so, open eyes wide apart. Get medical attention immediately. Continue to rinse.
4.2 Most Important Syn	nptoms and effects, both acute and delayed
General Information	Symptoms described are dependent upon the concentration and exposure time
Inhalation	Possible irritation of throat, nose & airway
Ingestion	Irritation, possible burns to throat mouth and stomach
Skin Contact	Possible chemical burns to skin
Eye Contact	Possible serious eye damage
4.3 Indication of immed	liate medical attention and special treatment needed if necessary

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Suitable Extinguishing Media Use:
The preparation is not readily flammable, use fire-extinguishing media suitable for surrounding materials
5.2 Specific Hazard arising from the chemical

When heated in the case of fire, harmful or toxic gases may be produced

5.3 Special protective actions for fire fighters

Self contained breathing apparatus and full protective clothing must be worn

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, protective equipment and emergency procedures

a. The wearing of suitable protective equipment (including personal protective equipment, see section 8 of this SDS) to prevent any contamination of skin, eyes and personal clothing.

b. Follow precautions for safe handling described in section 7 of this SDS.

6.2 Environmental Precautions

Spillages of uncontrolled discharges into watercourses must be Immediately alerted to the Environmental Agency or other appropriate regulatory body, without endangering individuals every effort should be made to prevent entrance to drains.
6.3 Methods and material for containment and clean up

Drains should be Bunded or capped to prevent entrance or damage.

Ventilate well. Dilute with copious amounts of water. Collect with absorbent, non-combustible material into suitable containers. Flush area with plenty of water.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid Spilling, skin and eye contact.

Do Not Smoke In Work Area! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using, do not eat, drink or smoke.

7.2 Conditions for safe Storage, including incompatibilities

Keep in original containers. Do not allow product to freeze, avoid extreme temperatures

7.3 Specific end use(s)

The identified use for this product is detailed in section 1.2.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION							
8.1 Control parameters	8.1 Control parameters						
Name	STD	Consumer		Industry		Notes	
Sodium Hydroxide 35%	DNEL	Long Term	1mg/m3	Long Term	1mg/m3		
Sodium Hypochlorite	DNEL	Long Term	1.55mg/m3	Long Term	1.55mg/m3		
		Short Term	3.1mg/m3	Short Term	3.1mg/m3		
DNEL= Derived No Effect Leve	DNEL= Derived No Effect Level						
8.2 Appropriate engineering of	8.2 Appropriate engineering controls						
Provide adequate ventilation							
8.3 Individual protection mea	8.3 Individual protection measures, such as personal protective equipment (PPE)						
Respiratory Equipment	If ventilation is in sufficient, suitable respiratory protection must be provided.						
Hand Protection	Nitrile, Butyl rubber, Neoprene or Polyvinyl chloride (PVC) gloves are recommended.						
Eye Protection	Ware approved safety goggles/ Face protection.						
Other Protection	Wear rubber apron, ware rubber footwear.						

Protective Equipment



SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES				
9.1 Information on basic physical and chemical properties				
This Product is a	Mixture			
Appearance	Liquid			
Colour	Straw / Yellow			
Odour	Slight Chlorine Odour			
Solubility	Soluble in water			

FP199

pH value	>11	Boiling Point (°C)	>100		
Relative Density	1.1-1.2				
9.2 Other information					

SECTION 10. STABILITY AND REACTIVITY	
10.1 Reactivity	
Exothermic reaction with acids	
10.2 Chemical stability	
Stable under normal conditions and use.	
10.3 Possibility of hazardous reactions	
Generates toxic gas in contact with acids	
10.4 Conditions to avoid	
Avoid excessive heat for prolonged periods of time. Do Not allow to freeze	
10.5 Incompatible materials	
Strong Acids. Other halogenated organics	
10.6 Hazardous decomposition products	
Hydrogen	

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Toxicological information

We have not carried out any animal testing; therefore we have no toxicological data specifically for this product. The toxicological data, where provided by the raw material manufacture, can be made available on request.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity
We have not carried out any Aquatic testing; therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity
data, where provided by the raw material manufacturer for the ingredients with aquatic toxicity can be provided on request
12.2 Persistence and degradability
Degradability: this product is expected to be biodegradable
12.3 Bioaccumulative potential
This preparation does not contain any substance that is expected to be bioaccumlating
12.4 Mobility in soil
The product is soluble in water
12.5 Results of PBT and vPvB
This preparation does not contain and PBT or vPvB substances
12.6 Other adverse effects
Not Known

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Г

The preparation is designed for disposal via foul drain after use. Large volumes to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local waste disposal authority. Clean used container and recycle.

SECTION 14. TRANSPORT INFORMATION				
ADR	IMDG	ICAO		
14.1 UN Number				
1760	1760	1760		
14.2 UN Proper shipping name				
Caustic Liquid N.O.S.	Caustic Liquid N.O.S.	Caustic Liquid N.O.S.		
14.3 Transport hazard Class (es)				
Class 8	Class 8	Class 8		

	>			
14.4 Packing Group				
III	III	III		
14.5 Environmental hazards				
Yes	Yes	Yes		
14.6 Special precautions for user (Tunnel Restriction) EAC, HIN, EMS				
(E) 2X, 80, F-A , S-B				
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code				
Not relevant for this product				

SECTION 15. REGULATORY INFORMATION

 $\underline{15.1 \ \text{Safety, health and environmental regulations/legislation specific to the substance or mixture}$

Guidance notes: Workplace Exposure Limits EH40 EU Legislation: Safety Data sheets prepared in accordance with REACH Commission Regulation (EU) No 453/2010 and CHIP Directive 1999/45/EEC Classification, Packaging & Labelling of dangerous preparations. Ingredients are listed with classification under both CHIP – Directive 67/548/EEC and GHS / CLP – Regulation (EC) No 1272/2008 classification, ADR 2013 <u>15.2 Chemical Safety Assessment</u>

Not applicable this product is a mixture

SECTION 16. OTHER INFORMATION

REV. No. REPL. SDS	1/0			
Generated	30 th March 2015			
SDS No.	C2/409-CLP			
SDS Status	Ok			
Approved	Yes			
Notes	This information relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of the company's knowledge and belief, accurate and reliable as of date indicated. However, no warranty, guarantee or representation is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.			
Risk phrases in full	R31 – Contact with acids liberates toxic gasses R34 – Causes Burns R35 – Causes severe burns R50 – Very toxic to aquatic organisms			
Hazard statements in full	H290 – May be corrosive to metals H302 – Harmful if swallowed H314 – Causes severe skin burns and eye damage H318 – Causes serious eye damage H332 – May be harmful if swallowed H400 – Very toxic to aquatic life			
Supplementary	P301+P330+331 – IF SWALLOWED: Rinse mouth. Do NOT induce vomiting			
P- Statements	P303+P361+P353 – IF ON SKIN: Remove / Take off immediately all contaminated clothing. Rinse skin with			
Continued	water / shower			
	P363 – Wash contaminated clothing before reuse			
	P304+P340 – IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing			
	P310 – Immediately call a poison centre or doctor / physician			
	P390 – Absorb spillage to prevent material damage			
	P391 – Collect spillage			
	P405 – Store locked up			
	P501 – Dispose of contents / container to local authority as hazardous waste			
	END of SDS			