CATER-WASH

CK8512 12kg Washing Machine - Specification



Features

- HUGE 12kg drum!
- 12 pre set wash cycles to suit every load.
- Delay wash function.
- Temperature selection: Cold, 20°C, 40°C, 60°C, 90°C.
- Add steam.
- My Cycle save your favourite wash cycle.
- LED display screen.
- · Child Lock.
- Quick Wash 15 minutes!

Caterkwik Ltd

The Lakeland Catering Centre Newlands Ulverston Cumbria LA12 700

01229 480001

info@caterkwik.co.uk









CK8512 12kg Washing Machine - Pre - Set Wash Cycles

Wash Cycle		Approx Time	Soil Level	Temperature	Spin Speed
20°C		1:01	-	20°C	1000RPM
Baby Care		1:42	Medium	60°C	800RPM
Bed Linen		1:48	Medium	40°C	1000RPM
Mix		1:20	-	40°C	800RPM
Synthetic		3: 18	Medium	40°C	High
Cotton		3:39	Medium	40°C	High
Quick 15		0: 15	-	Cold	High
Intensive		3:48	-	40°C	Medium
ECO 40-60		3:56	-	-	High
Wool		1:07	-	40°C	Extra High
Rinse & Spin		0:20	-	Cold	-
Spin Only		0:12	-	-	High




This symbol means Add Steam is available on these wash cycles.

By Selecting add steam, 10 minutes is added onto the approximate washing time.

Tub Clean

Fresher Loads > Spotless laundry

Please note the washing machine **must be empty** on the Tub Clean cycle.





CK8512 12kg Washing Machine - Specification

Dimensions	
Machine Dimensions:	W595 x D595 x H850mm
Packed Dimensions:	W680 x D725 x H875mm
Door Diameter:	330mm
Drum Diameter:	510mm
Drum Volume:	76.0L
Net Weight:	73kg
Gross Weight:	78kg

Electric				
Rated Frequency:	50 Hz			
Rated Power:	2000 W			
Rated Current:	10 A			
Power Consumption (left on mode): 1.0 W				
Power Consumption (off mode):	0.5 W			
Energy Efficiency Class:	A +++			

Specification	
Capacity:	12.0 kg
Max Spin Speed:	1400 rpm
Remaining Moisture Content:	53%
Display:	LED
Standard Water Pressure:	0.05 ~ 1 Mpa
Water Inlet Hose Length:	1.6 M
Water Outlet Hose Length:	1.7 M
Power Cord Length:	1.5 M

Performance	
Energy Consumption:	63 kWh / 100 cycles
Water Consumption:	87L / full load
Spinning Noise	80 dB
Washing Performance Class:	A

