

DXN 107 EcoX

Ice Machine/Dispenser up to 72 kg

Item #:
Project:
Quantity:



FEATURES

- Compact ice or ice & water automatic dispenser, with appealing, contemporary “touch-screen” design.
- Ideal for free-refill self-service concepts with up to 1200 glasses filled per day and capable of dispensing ice for up to 100 customers in queue at one time.
- Available either touch-free or button activated.
- Possible to set ice only or ice & water on site and desired ice dosage (from 1’ to 15’ or continuous).
- Fast & friendly cleaning mode for the end user.
- Algorithm signaling when reservoir is temporarily empty.
- Full frontal visibility of settings and errors for preventative service check-up.
- Accessory: on request, it can be installed upon a specifically designed cabinet.



DXN 107
Cubelet 1 g
W 16 x D 15 x H 7-8 mm

CONDENSING SYSTEM

Air cooled

INTERNAL BIN CAPACITY

5 kg

REFRIGERANT GAS

R290

OPERATING REQUIREMENTS

	Minimum	Maximum
Air temperature	10°C	43°C
Water temperature	5°C	38°C
Water pressure	1 bar (14 psi)	5 bar (70 psi)
Electrical voltage	-10%	+10%

Certifications:



IMPORTANT NOTICE:
Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals.

Download our free App Scotsman Ice
Apple store
Google play
Windows store



www.scotsman-ice.it
www.scotsman-ice.com


Ice Machine/Dispenser up to 72 kg

DXN 107

Ice Machine/Dispenser up to 72 kg

Item #:
Project:
Quantity:

Ice Machine/Dispenser up to 72 kg



UNIT DATA			Compressor		Circuit wires		Max. fuse size	
			Version	Voltage	Btu/h	W	No.	Ømm ²
Size (W x D x H)	427 x 552 x 622 mm							
Net weight	49 kg							
SHIPPING DATA			24 h ice production kg		Energy consumption*		Water usage*	Instant power
			°C Amb. / °C Water		kWh/100 kg		kWh/24h	l/h
Carton (W x D x H)	490 x 610 x 790 mm		10°C/10°C	21°C/10°C	32°C/21°C			
Weight	56 kg		72		48	17.0	8.1	2.0

(*) Data refer to 32°C Amb. / 21°C Water temperature conditions