



EB3FX/WAVE - Lincat FilterFlow FX Countertop Automatic Fill Wave Water Boiler - 3.0 kW Dispense water with just the wave of your hand. The FilterFlow Automatic Fill Electric Wave Water Boiler with built in smart sensor enables fully automatic and touch-free operation to avoid cross infection.

- Dispense water with just the wave of your handavoid cross infection with the touch-free automatic operation, ideal for front of house and self service.
- Short delay and countdown before dispensing, to avoid accidental dispense while cleaning
- Time out to avoid continuous dispense
- Narrow 250 mm footprint saves valuable counter space without compromising capacity or performance
- Built-in water filtration system improves water quality and reduces scale build-up. High volume, easy change FilterFlow cartridge

- Easily operated from a large, colour touchscreen display. Menu navigation is quick and easy with the temperature and timer simple to adjust
- Eco setting reduces the volume of boiling water by 50% for quieter periods. The intelligent predictive eco setting learns usage patterns and switches between eco mode and standard mode to deliver the required hot water output in the most economical way
- 7-day timer allows the boiler to be programmed to switch off overnight or at weekends to conserve energy
- Enhanced diagnostics identify possible causes in the event of a fault. The on-screen diagnostic information will enable the engineer to identify the parts needed and repair your water boiler at first visit.

## **Specifications** Summary **Power and Performance Brand Total Power kW** Temperature Range °C Range FilterFlow 70-98 Series IP Rating IP23 FX Counter-top Boiler Power Type **Hourly Output Litres** 31 Electric **Hourly Output Cups** 155 Unit Type Counter-top Available in UK Only **Temperature Control** Electronic **UK Warranty** 2 Years Parts and Labour Warranty **Export Warranty** Contact your local dealer GTIN 5056105121497 **Key Specifications** Capacity Outlet Hot and Cold Water Output Wave Operated [Single Spout] No **Rapid Draw Off Litres** 11 **Rapid Draw Off Cups Capacity Litres** 15 **Weights and Dimensions Supply Connections** Unit Height (External) mm 596 **Requires Installation** No Unit Width (External) mm 250 **Requires Electrical Supply** Yes Unit Depth (External) mm 525 UK 3 Pin Plug Yes Net Weight Kg 14.9 **Requires Hardwiring** No **Electrical Supply Rating Watts** 3,000 Single Phase Amps 1.3 Single Phase Voltage 230 Water Connection Pressure Bar Water Connection 3/4"



## Shipping

Packed Weight Kg16.39Packed Height cm53Packed Width cm69.5Packed Depth cm36.6

## **Available Accessories**


**BR55** EB3FX AND EB4FX WALL BRACKET


**DP10** Descaler Powder

FC04 Filter Cartridge for Lincat FilterFlow Water Boiler

## **Technical Picture**













**Lincat Limited** 

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

**Company No:** 2175448

A member company of

**Customer Care** 

**Tel:** +44 1522 875500

Email: care@lincat.co.uk

**Export Customers** 

**Tel:** +44 1522 875536

Email: export@lincat.co.uk

**Opening Hours** 

Monday - Friday:

8.30am - 5pm

Product Code: EB3FX/WAVE Page Number: 3 Print Date: 04/09/2023