



## EB6TFX - Lincat FilterFlow FX Counter-top Automatic Fill Twin-Tap Water Boiler - W 250 mm - 6.0 kW

The FilterFlow Automatic Fill Electric Twin-Tap Water Boiler is perfect for busy periods, such as when a coach load of holiday makers pull up outside your cafe and they all want hot drinks.

- ✓ Twin tap version, ideal for the busiest periods
- ✓ Eco setting reduces the volume of boiling water by 50% for quieter periods
- ✓ 7-day timer allows the boiler to be programmed to switch off overnight or at weekends to conserve energy
- ✓ Enhanced diagnostics identify possible causes. The on screen diagnostic information will enable the engineer to identify the parts needed and repair your water boiler at first visit
- ✓ Narrow 250mm footprint saves valuable counter space without compromising capacity or performance
- ✓ Built-in water filtration system improves water quality and reduces scale build-up. High volume, easy change FilterFlow cartridge
- ✓ Easily operated from a large, colour touchscreen display. Menu navigation is quick and easy with the temperature and timer simple to adjust

### Specifications

Summary		Power and Performance	
<b>Brand</b>	Lincat	<b>Total Power kW</b>	6.0
<b>Range</b>	FilterFlow	<b>Temperature Range °C</b>	70-98
<b>Series</b>	FX Counter-top Boiler	<b>IP Rating</b>	IP23
<b>Power Type</b>	Electric	<b>Hourly Output Litres</b>	60
<b>Unit Type</b>	Counter-top	<b>Hourly Output Cups</b>	300
<b>Available in UK Only</b>	No	<b>Temperature Control</b>	Electronic
<b>UK Warranty</b>	2 Years Parts and Labour Warranty		
<b>Export Warranty</b>	Contact your local dealer		
<b>GTIN</b>	5056105105572		

Key Specifications		Capacity	
<b>Outlet</b>	Twin Tap	<b>Hot and Cold Water Output</b>	No
<b>Dispense Lock</b>	No	<b>Rapid Draw Off Litres</b>	18.0
		<b>Rapid Draw Off Cups</b>	90
		<b>Capacity Litres</b>	22.0

Weights and Dimensions		Supply Connections	
<b>Unit Height (External) mm</b>	685	<b>Requires Installation</b>	Yes
<b>Unit Width (External) mm</b>	250	<b>Requires Electrical Supply</b>	Yes
<b>Unit Depth (External) mm</b>	525	<b>UK 3 Pin Plug</b>	No
<b>Net Weight Kg</b>	16.2	<b>Requires Hardwiring</b>	Yes
		<b>Electrical Supply Rating Watts</b>	6,000
		<b>Single Phase Amps</b>	26
		<b>Single Phase Voltage</b>	230
		<b>Water Connection Pressure Bar</b>	6
		<b>Water Connection</b>	3/4"



**Shipping**

Packed Weight Kg	17.82
Packed Height cm	53
Packed Width cm	78.5
Packed Depth cm	36.6

**Available Accessories**

<b>BR56</b>	EB6FX WALL BRACKET
<b>DP10</b>	Descaler Powder
<b>EBHF01</b>	Lincat EB Hands Free Tap Adaptor
<b>FC04</b>	Filter Cartridge for Lincat FilterFlow Water Boiler

**Technical Picture**





**Lincat Limited**

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



**Customer Care**

**Tel:** +44 1522 875500  
**Email:** care@lincat.co.uk

**Export Customers**

**Tel:** +44 1522 875536  
**Email:** export@lincat.co.uk

**Opening Hours**

**Monday – Friday:**  
8.30am – 5pm