



EC09 - Lincat Electric Counter-top Convection Oven - W 766 mm - D 840mm - 7.5 kW

Bake off everything from pies, pastries, pizzas roasts, pizzas, bakery products to baking off chilled or frozen convenience bakery products easily and efficiently with this powerful 7.5kW Lincat Electric Convection Oven.

- ✓ The larger and more powerful EC09 is perfect for baking off chilled or frozen convenience bakery products.
- ✓ The excellent twin fan air circulation system delivers a highly efficient air circulation ensuring consistent and even cooking and faster cooking times.
- ✓ Accommodates 1/1GN containers for convenient operation. Adjustable shelf supports to accept 600mm x 400mm standard baking trays
- ✓ Fast heat up from cold saves time and money and fast recovery times
- ✓ Water injection facility gives a professional finish to breads and pastries. The useful cook and hold facility reduces oven temperature to 80 degs C at end of cooking period.
- ✓ Double-glazed door for energy efficiency
- ✓ Stackable for added flexibility and to make the best of use of floorspace.
- ✓ Robust stainless steel construction

Specifications

Summary		Power and Performance	
Brand	Lincat	Total Power kW	7.5
Range	Specialist	Temperature Range °C	50-300
Power Type	Electric	IP Rating	IP23
Unit Type	Counter-top	Controls Position	Right hand side
Available in UK Only	No	Temperature Control	Mechanical
UK Warranty	2 Years Parts and Labour Warranty	Timer Range mins	1-60; 1-180
Export Warranty	Contact your local dealer	Oven Rating kW	7.5
GTIN	5056105101680		

Key Specifications

Stackable	Yes
Feet Height/Type	25mm/adjustable
Continuous Plug-In Door Seal	Yes
Removable Inner Door Glass	Yes
Handle Type	Pendulum
Vented Door	Yes
Reversible Door	No
Door Type	Left Hinged
Phased Cooking	No
Shelf Timer(s) (Number)	No
Grill Element/Mode	No
Core Temp Probe	No
Steam Injection	Yes
Fan(s) Speed	1
Fan(s) Type	Single Direction
Number of Fan(s)	2
Euronorm Compatible	Yes
Sheet Pan Compatible	Yes
Removeable Shelf Guides	Yes
Manual Mode	Yes
Programmable	No
Timer Type	2 x Mechanical
Number of Shelves included	4
Number of Shelf Positions	4
Type of Lighting	Filament Bulb
Construction/Finish	430 S/S exterior/cavity
GN Compatible	Yes

Capacity

Gastronorm Capacity	4 x GN1/1
Euronorm Capacity	3
Shelf Spacing mm	110
Sheet Pan Capacity	4 x 460 mm x 330 mm
Capacity Litres	170.0

Weights and Dimensions

Unit Height (External) mm	652
Unit Width (External) mm	766
Unit Depth (External) mm	840
Height (Internal) mm	510
Width (Internal) mm	480
Depth (Internal) mm	700
Shelf Dimensions Width mm	530
Shelf Dimensions Depth mm	325
Net Weight Kg	95.9

Supply Connections

Requires Installation	Yes
Requires Electrical Supply	Yes
UK 3 Pin Plug	No
Requires Hardwiring	Yes
Electrical Supply Rating Watts	7,500
Single Phase Amps	32.6
Single Phase Voltage	230
Three Phase Amps	L1=6.7; L2=13.0; L3=13.0
Three Phase Voltage	400
Water Connection Pressure Bar	0.2-10.0
Drain Connection	No
Water Connection	3/4" BSPT
USB Port	No




Shipping

Packed Weight Kg	100.6
Packed Height cm	73
Packed Width cm	94.5
Packed Depth cm	90

Available Accessories

ECO9/FS	ECO9 FLOORSTAND
ECO9/FSBT	ECO9 FLOORSTAND FOR BAKING TRAYS
ECO9/LFS	ECO9 LOW FLOORSTAND
ECO9/SK	ECO9 STACKING KIT

Technical Picture



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm