

Coffee System

Classic Traditional espresso machine, 2 groups, 10,1 liter boiler, UK Plug

ITEM # _____

MODEL # _____

NAME # _____

SIS # _____

AIA # _____


602629 (CLASSIC2)

Traditional Espresso Machine, 2 groups, 10,1 liter boiler, 2 independent control boxes with 4 programmable dosing program, manual water & steam, automatic cleaning cycle, stainless steel body, UK plug

Short Form Specification

Item No. _____

Traditional 2 groups espresso machine with large steam boiler. Elegant lines and reliable technologies appreciated by coffee professionals, the CLASSIC model is made more attractive by its quality/ price ratio. Designed for rugged commercial application, the CLASSIC is the perfect traditional espresso machine to ensure an excellent quality espresso result, consistency and high performance during rush period.

APPROVAL: _____

Main Features

- The CLASSIC Elegant lines and reliable technologies appreciated by coffee professionals, the CLASSIC model is made more attractive by its quality/ price ratio. The CLASSIC is the perfect traditional espresso machine to ensure an excellent quality espresso result, and consistency even during the busiest periods of the day.
- With its easy operation and serviceability, the Classic offers technical features ensuring outstanding coffee throughout the day.
- Heavy duty components and welded construction, a direct mounted boiler group head for thermal stability and reliable extraction, easy access to components for uncomplicated serviceability, and unlimited steam.
- Single boiler: 1 Large copper boiler with Heat exchanger technology with 330ml internal boiler.
- Maestro brew group: directly to boiler group heads are mounted for shot temperature stability.
- Large cup warming capacity: integrated cup warmer on the top of the machines.
- 4 programmable volume keys per group + Semi-automatic key for each group for manual control.
- Automatic cleaning program.


Construction

- Stainless steel body.
- 2 groups - 10.1 liter boiler.
- 2 stainless steel Steam arms / 2 Steam switches on, off and pulse positions.
- Build-in cup warmer.

Optional Accessories

- Mira filter holder for one cup PNC 871002
-
- Mira filter holder for two cups PNC 871003
-
- Mira filter holder for three cups PNC 871004
-
- Raised feet kit PNC 871005
-
- Knock box drawer for Mira2 PNC 871006
-
- Knock box drawer for Mira3 PNC 871007
-
- Stainless steel 57 mm tamper PNC 871016
-
- Filter for one cup, 12 gr PNC 871017
-
- Filter for two cups, 18 gr PNC 871018
-

- Stainless steel knock box drawer PNC 871019 □



Electric

Supply voltage:
 602629 (CLASSIC2) 240 V/1 ph/50 Hz
 Electrical power max.: 4.6 kW
 Current consumption:
 Plug type:

Water:

Cold water temperature
 (min/max): 0 / 0 °C

Key Information:

External dimensions, Width: 642 mm
 External dimensions, Height: 508 mm
 External dimensions, Depth: 568 mm
 Net weight: 55 kg
 Shipping volume: 0.69 m³