

## Coffee System

### Classic Traditional espresso machine, 3 groups, 15,6 liter boiler, UK Plug


ITEM # \_\_\_\_\_

MODEL # \_\_\_\_\_

NAME # \_\_\_\_\_

SIS # \_\_\_\_\_

AIA # \_\_\_\_\_


**602643 (CLASSIC3)**

Traditional Espresso Machine, 3 groups, 15,6 liter boiler, 3 independent control boxes with 4 programmable dosing program, manual water & steam, automatic cleaning cycle, stainless steel body, UK plug

### Short Form Specification

**Item No.** \_\_\_\_\_

Traditional 3 groups espresso machine with large steam boiler. Elegant lines and reliable technologies appreciated by coffee professionals, the CLASSIC model is made more attractive by its quality/ price ratio. Designed for rugged commercial application, the CLASSIC is the perfect traditional espresso machine to ensure an excellent quality espresso result, consistency and high performance during rush period.

**APPROVAL:** \_\_\_\_\_

### Main Features

- The CLASSIC Elegant lines and reliable technologies appreciated by coffee professionals, the CLASSIC model is made more attractive by its quality/ price ratio. The CLASSIC is the perfect traditional espresso machine to ensure an excellent quality espresso result, and consistency even during the busiest periods of the day.
- With its easy operation and serviceability, the Classic offers technical features ensuring outstanding coffee throughout the day.
- Heavy duty components and welded construction, a direct mounted boiler group head for thermal stability and reliable extraction, easy access to components for uncomplicated serviceability, and unlimited steam.
- Single boiler: 1 Large copper boiler with Heat exchanger technology with 330ml internal boiler.
- Maestro brew group: directly to boiler group heads are mounted for shot temperature stability.
- Large cup warming capacity: integrated cup warmer on the top of the machines.
- 4 programmable volume keys per group + Semi-automatic key for each group for manual control.
- Automatic cleaning program.


### Construction

- Stainless steel body.
- 3 groups - 15.6 liter boiler
- 2 stainless steel Steam arms / 2 Steam switches on, off and pulse positions.
- Build-in cup warmer.

### Optional Accessories

- Mira filter holder for one cup PNC 871002
- 
- Mira filter holder for two cups PNC 871003
- 
- Mira filter holder for three cups PNC 871004
- 
- Raised feet kit PNC 871005
- 
- Knock box drawer for Mira2 PNC 871006
- 
- Knock box drawer for Mira3 PNC 871007
- 
- Stainless steel 57 mm tamper PNC 871016
- 
- Filter for one cup, 12 gr PNC 871017
- 
- Filter for two cups, 18 gr PNC 871018
-

- Stainless steel knock box drawer PNC 871019 □



#### Electric

Supply voltage:

602643 (CLASSIC3) 240 V/1 ph/50 Hz

Electrical power max.:

4.6 kW

Current consumption:

Plug type:

#### Water:

Cold water temperature

(min/max): 0 / 0 °C

#### Key Information:

External dimensions, Width: 862 mm

External dimensions, Height: 508 mm

External dimensions, Depth: 568 mm

Net weight: 75 kg

Shipping volume: 0.83 m<sup>3</sup>