

Modular Cooking Range Line 700XP 6-Hot Plates Electric Boiling Top Range



Modular Cooking Range Line

700XP 6-Hot Plates Electric Boiling Top Range

371019 (E7ECEL6R00)

700XP 6 HOT PLATE ELECTRIC BOILING TOP 2.6kW - 400V

Short Form Specification

Item No.

To be installed on open base installations, bridging supports or cantilever systems. Six 2.6 kW cast-iron hot plates hermetically sealed to the onepiece top. Exterior panels in stainless steel with Scotch Brite finish. One piece pressed work top in 1.5 mm thick stainless steel. Right-angled side edges to allow flush-fitting junction between units.

ITEM #		_
MODEL #		 _
NAME #		
SIS #		_
AIA #		_

Main Features

- Unit to be mounted on open base cupboards, bridging supports or cantilever systems.
- The six 2.6kW cast-iron plates are hermetically sealed to the one-piece top.
- The special design of the control knob system guarantees against water infiltration.
- IPX 4 water protection.

Construction

- All exterior panels in Stainless Steel with Scotch Brite finishing.
- One piece pressed 1.5 mm work top in Stainless steel.
- Model has right-angled side edges to allow flush fitting joints between units, eliminating gaps and possible dirt traps.

Optional Accessories

Junction sealing kit	PNC 206086
ounonon ocumy in	
• 4 wheels, 2 swivelling with brake (700/900XP). It is mandatory to install with base supports for feet/wheels.	PNC 206135
 Support for bridge type system, 1200mm 	PNC 206139
 Support for bridge type system, 1400mm 	PNC 206140
 Support for bridge type system, 1600mm 	PNC 206141
• Frontal kicking strip, 1200mm (not for refr-freezer base)	PNC 206178
• Water coulumn with swivel arm (water column extension not included)	PNC 206289
• Water column extension for 700 line	PNC 206291
Chimney upstand, 200mm	PNC 206302
Chimney upstand, 800mm	PNC 206304
Right and left side handrails	PNC 206307
 Base support for feet or wheels - 800mm (700/900) 	PNC 206367
 Base support for feet or wheels - 1200mm (700/900) 	PNC 206368
• Rear paneling - 1200mm (700/900)	PNC 206376
Chimney grid net, 400mm	PNC 206400
Frontal handrail 1200mm	PNC 216049

Modular Cooking Range Line 700XP 6-Hot Plates Electric Boiling Top Range

Electrolux

APPROVAL:




- Frontal handrail 1600mm
- Large handrail portioning shelf, 800mm PNC 216186 🗅
- 2 side covering panels for top appliances PNC 216277 🖵

PNC 216050 🗅



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

Electrolux



Modular Cooking Range Line 700XP 6-Hot Plates Electric Boiling Top Range

Electric

Supply voltage: 371019 (E7ECEL6R00) Total Watts:	400 V/3 ph/50/60 Hz 15.6 kW			
Key Information				
Front Plates Power:	2.6 - 2.6 kW			
Back Plates Power:	2.6 - 2.6 kW			
Front Plates dimensions:	Ø 230 Ø 230			
Back Plates dimensions:	Ø 230 Ø 230			
Net weight:	60 kg			
Shipping weight:	70 kg			
Shipping height:	540 mm			
Shipping width:	830 mm			
Shipping depth:	1300 mm			
Shipping volume:	0.58 m³			

If appliance is set up or next to or against temperature sensitive furniture or similar, a safety gap of approximately 150 mm should be maintained or some form of heat insulation fitted.

> Modular Cooking Range Line 700XP 6-Hot Plates Electric Boiling Top Range

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.