Electrolux

Modular Cooking Range Line 700XP Half Module Gas Lava Stone Grill Top



Modular Cooking Range Line

700XP Half Module Gas Lava Stone Grill Top

371044 (E7GRGDLC00) Half module gas lava stone grill top

Short Form Specification

Item No.

To be installed on open base installations, bridging supports or cantilever systems. Suitable for natural gas or LPG. 7 kW stainless steel gas burners with flame failure device. Gas burners protected by stainless steel deflection trays preventing blockage from foreign objects. Cooking surface grids in cast iron, easily removable for cleaning. Exterior panels in stainless steel with Scotch Brite finish. One piece pressed work top in 1.5 mm thick stainless steel. Rightangled side edges to allow flush-fitting junction between units.

TEM #	
MODEL #	
SIS #	
4IA #	

Main Features

- Unit to be mounted on open base cupboards, bridging supports or cantilever systems.
- Heating via Stainless steel gas burners with flame failure device.
- Burners protected by stainless steel deflection trays to prevent blockage.
- Piezo ignition.
- Cast iron grids can be adjusted on two levels.
- Stainless steel high splash guards on the rear and sides of cooking surface. Splash guards can be easily removed for cleaning and are dishwasher-safe.
- IPX4 water resistance certification.
- Scraper for cleaning of grilling grids included.

Construction

- All exterior panels in Stainless Steel with Scotch Brite finishing.
- One piece pressed 1.5 mm work top in Stainless steel.
- Model has right-angled side edges to allow flush fitting joints between units, eliminating gaps and possible dirt traps.


APPROVAL:



Included Accessories	
• 1 of Scraper for free standing grills Optional Accessories	PNC 206422
 Junction sealing kit 	PNC 206086
• Draught diverter, 120 mm diameter	□ PNC 206126
 Matching ring for flue condenser, 120 mm diameter 	□ PNC 206127
• Support for bridge type installation, 800mm	PNC 206137
• Support for bridge type installation, 1000mm	PNC 206138
• Support for bridge type installation, 1200mm	PNC 206139
• Support for bridge type installation, 1400mm	PNC 206140
• Support for bridge type installation, 1600mm	PNC 206141
• Support for bridge type installation, 400mm	PNC 206154
• Chimney upstand, 400mm	PNC 206303
Right and left side handrails	PNC 206307
• Back handrail 800mm, Marine	PNC 206308
 Flue condenser for 1/2 module, 120 mm diameter 	 PNC 206310 □
 Chimney grid net, 400mm (700XP/900) 	 PNC 206400 □
• Stainless steel grid for free standing V-shaped grills (700XP)	PNC 206415
Kit height adjustment support grill grids	PNC 206418
 Scraper for grids with drainage channels - top grills 	PNC 206421
• Frontal handrail, 400mm	PNC 216046
• Frontal handrail, 800mm	PNC 216047
• Frontal handrail, 1200mm	PNC 216049
• Frontal handrail, 1600mm	– PNC 216050 □
 Large handrail - portioning shelf, 400mm 	_ PNC 216185 □
 Large handrail - portioning shelf, 800mm 	– PNC 216186 □
 2 side covering panels for top appliances 	_ PNC 216277 □
 Pressure regulator for gas units 	PNC 927225

Electrolux

Modular Cooking Range Line 700XP Half Module Gas Lava Stone Grill Top



Gas

Gas Power:

371044 (E7GRGDLC00)	23863 Btu/hr (7 kW)
Standard gas delivery:	Natural Gas G20 (20mbar)
Gas Type Option:	LPG;Natural Gas;Town
Gas Inlet:	1/2"

Key Information:

Cooking surface width:
Cooking surface depth:
Net weight:
Shipping weight:
Shipping height:
Shipping width:
Shipping depth:
Shipping volume:

540 mm 460 mm 820 mm 0.2 m³

321 mm

478 mm

32 kg

39 kg

If appliance is set up or next to or against temperature sensitive furniture or similar, a safety gap of approximately 150 mm should be maintained or some form of heat insulation fitted.

Modular Cooking Range Line 700XP Half Module Gas Lava Stone Grill Top

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.