

**SILVERLINK 600****PRODUCT OPTIONS AND ACCESSORIES**

- SLR9/SB SPLASHBACK

PRODUCT FEATURES

- Compact 600mm deep footprint - perfect for care homes as well as smaller pubs and restaurants
- Six hotplates 3 x 2.0kW, 3 x 1.5kW with six-position control knob for each plate - higher power for sautéing at the front, lower power to the rear ideal for simmering
- Automatic power reduction, if pan boils dry or is removed - prolonging hotplate life
- Easy clean fully pressed and sealed hob
- Powerful 6kW twin fan assisted oven for uniform heat distribution and consistent cooking
- Double insulated doors, side and back panels providing safer operation, greater efficiency and economy
- Castors at rear to enable unit to be pulled out for deeper cleans

WEIGHTS & DIMENSIONS

Width	725 mm
Depth	670 mm
Height	932 mil
Weight	95 kg

SHIPPING DETAILS

Ship Width	100 cm
Ship Depth	81 cm
Ship Height	110 cm
Ship Weight	104.5 kg
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS

ENERGY Specs

Primary Energy Type	Electric
Electrical Amps Per Conductor	L1=27.9; L2=27.9; L3=15.9
Electrical Total Amperage	71.7 A
Electrical Volts	400V
Electrical Total Wattage	16500 W
Electrical Kilowatts	16.5 kW

Electrical Phase	3-Phase
Electrical Plug Type	Hardwired
Number of Electrical Plugs	Not Applicable
Electrical Connection Type	Direct Hardwired
Number of Electrical Conductor Wires	1
Dedicated Circuit Required	Yes
Electrical Remarks	Three

ADDITIONAL SPECIFICATIONS

Construction Materials	Stainless Steel
Control Type	Rotary Control Knob
Cooking Plate Finish Material Type	Cast Iron Plate
High Altitude Kit Available	No
Number of Heating Zones	6
Number of Hot Top Burners	6
Number of Shelf Positions	4
Number of Shelves	2

Open or Sealed Burners	Not Applicable
Oven Power Rating	6 kW
Oven Temperature Minimum	50 °C
Oven Temperature Maximum	250 °C
Shelf Depth	342 mm
Shelf Width	700 mm
Ventless Cooking Technology	No



**LINCAT SILVERLINK ELECTRIC FREE-STANDING OVEN RANGE -
CASTORS AT REAR - 6 PLATES - W 900 MM - 16.5 KW [3-PHASE]**

MODEL: ESLR9C

SELECT COOKING EQUIPMENT	NUMBER OF	POWER RATING	ARRANGE-MENT	WIDTH	DEPTH
Electric Round Hot Plate 1	3	2	Center Front	300 mm	300 mm
Electric Round Hot Plate 2	3	1.5	Center Rear	300 mm	300 mm

SELECT BASE EQUIPMENT	NUMBER OF	CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Standard Oven 1	1		725 mm	342 mm	428 mm

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING