

Noverta Premium Keg Coolers

- › Full range of keg coolers for front and back bar
- › Green keg cooling systems
- › Immediately save money on power consumption
- › Environmentally friendly
- › Comes with a natural refrigerant R600a
- › Quickly achieve the correct beer temperature for the best taste experience

› Gamko keg coolers

Noverta Premium & panel construction keg coolers



Keg coolers from Gamko

We manufacture and supply premium quality coolers for kegs and/or crates. There are two styles of keg coolers; under bar and panel construction. Under bar are green, energy saving coolers marketed as our Noverta Premium range. Panel construction coolers are specifically designed to be used in difficult to reach places or for a concealed installation.

Noverta Premium Keg Coolers

The Noverta Premium range is the green option, as they are more energy efficient and environmentally friendly. By having their own condensing unit, they fit under the bar and are easier to maintain. Other features include automatic defrost, LED lighting, electronic thermostat and an extremely robust baseplate. We supply four variants, and the machine unit can be positioned on either the left or right hand side.

www.gamko.com



FKG20/2

1/2-door keg cooler with machine unit to right



FK2-25/4R

1-door keg cooler with machine unit to right

FK2-25/4L

1-door keg cooler with machine unit to left



Jaarlijkse besparing met fustenkoelingen Noverta Premium*

Type	Energy usage in KWh/day	Energy savings in KWh/day	Savings in %	Savings per year in £ Pounds	Savings after 10 years in £ Pounds
FK2-25/4	650	850	56	190	1.900
FK2-25/6	700	900	57	210	2.100
FK2-25/8	950	700	43	160	1.600



* Calculations are based on a KWh price of GBP 0.136, energy consumption figures compared with FKG models. Tests conducted on recently produced Gamko coolers according to ISO23953.

General features

Noverta Premium keg coolers

- Plug ready (no separate condensing unit required)
- Revolutionary low power consumption
- Very short cooling time
- Environmentally friendly
- Natural refrigerant R600a
- Low-energy LED lighting
- Interior: silver-grey coated steel panels
- Exterior: anthracite coated steel panels
- Handy wide silver-coloured handle
- Reinforced baseplate
- Lock feature (lock has to be ordered separately)
- Consistent temperature of the kegs in relation to one another
- Easy access with no front support strut
- Insertion of python line possible on both sides
- Maintenance/replacement of machine unit possible without dismantling lines
- Can be fitted under a sink to the left or right
- Externally adjust leg height
- Exchangeable magnetic gaskets
- Electronic thermostat with digital display
- Automatic defrost
- Temperature: +2° C / +5° C
- Adjustable temperature range from +2° C to +12° C



FK2-25/6L

1 1/2-door keg cooler with machine unit to left

FK2-25/6R

1 1/2-door keg cooler with machine unit to right



FK2-25/8R

2-door keg cooler with machine unit to right

FK2-25/8L

2-door keg cooler with machine unit to left



Panel construction keg coolers & matching machine units

Gamko panel construction keg coolers are supplied as ready-to-assemble panels. In this way, they can also be installed in difficult-to-access places, such as a cellar. An installer assembles the keg cooler for you and connects the machine unit. Panel construction keg cabinets are also ideally suited for pre-chilling kegs and/or crates or bottle drinks.

The coolers can be supplied in five variants in terms of storage capacity. The keg coolers are always combined with the plug ready FK/MU machine unit. A Gamko machine unit is always fitted on top of the cooler for optimal distribution of cold air.

General characteristics

Panel construction keg coolers with machine unit

- › Works in combination with a machine unit FK/MU or FK/MUP (plug ready)
- › Ideal for difficult-to-access places
- › Exchangeable magnetic gaskets
- › Interior: silver-grey coated steel panels
- › Exterior: anthracite coated steel panels
- › Reinforced stainless steel bottom with upstand on three sides for easy cleaning
- › Easy to maintain (service-friendly)
- › Electronic thermostat with digital display
- › Automatic defrost
- › Temperature: +2° C / +5° C
- › Adjustable temperature range from +2° C to +12° C

Extra characteristics

Pre keg coolers



- › Vertical position of the casks helps you:
- › Exchange the kegs quickly and safely
- › No need for heavy lifting with our vertical keg coolers
- › Use of "First In First Out" method by simply moving the kegs nearest to you
- › Robust shelf of industrial quality
- › All high quality panels are 40mm insulated
- › Electronic digital thermostat display is positioned at the front for ease of operation
- › In case of breakdown, the machine unit can be easily exchanged on location minimising downtime



Panel construction keg coolers with machine unit

Pre keg cooler

Specific features

keg coolers

MODEL	# DOORS	REFRIGERANT TYPE	MACHINE UNIT	STORAGE CAPACITY (DIN-KEG)	# CRATES	TEMPERATURE RANGE	POWER CONSUMPTION	DIMENSIONS W x D x H*
FKG20/2	½ door	R600a	right	2 x 20 L		+2° C / +5° C	185W ^①	555 x 599 x 848/860mm*
FK2-25/4R	1 door	R600a	right	1 x 50 L of 4 x 20 L		+2° C / +5° C	208W ^①	880 x 599 x 860/880mm*
FK2-25/4L	1 door	R600a	left	1 x 50 L of 4 x 20 L		+2° C / +5° C	208W ^①	880 x 599 x 860/880mm*
FK2-25/6R	1 ½ door	R600a	right	1 x 50 L & 2 x 20 L of 6 x 20 L		+2° C / +5° C	208W ^①	1110 x 599 x 860/880mm*
FK2-25/6L	1 ½ door	R600a	left	1 x 50 L & 2 x 20 L of 6 x 20 L		+2° C / +5° C	208W ^①	1110 x 599 x 860/880mm*
FK2-25/8R	2 doors	R600a	right	2 x 50 L & 4 x 20 L of 8 x 20 L		+2° C / +5° C	208W ^①	1350 x 599 x 860/880mm*
FK2-25/8L	2 doors	R600a	left	2 x 50 L & 4 x 20 L of 8 x 20 L		+2° C / +5° C	208W ^①	1350 x 599 x 860/880mm*
FKV/10MU	1 door	R600a	top	10 x 20 L	10 crates	+1° C / +18° C	240W ^①	680 x 743 x 1830mm
FK/2	2 doors	n/a	n/a	2 x 50 L / 8 x 20 L	12 crates	see FK/MU(P)	n/a	1060 x 713 x 1080/1100mm
FK/4	2 doors	n/a	n/a	4 x 50 L / 13 x 20 L	18 crates	see FK/MU(P)	n/a	1060 x 978 x 1080/1100mm
FK/6	2 doors	n/a	n/a	6 x 50 L / 19 x 20 L	27 crates	see FK/MU(P)	n/a	1465 x 978 x 1080/1100mm
FK/8	2 doors	n/a	n/a	8 x 50 L / 26 x 20 L	36 crates	see FK/MU(P)	n/a	1870 x 978 x 1080/1100mm
FK/10	2 doors	n/a	n/a	10 x 50 L / 30 x 20 L	45 crates	see FK/MU(P)	n/a	2200 x 978 x 1080/1100mm
Dimensions crate: 395 x 295 x 225mm.								
FK/MUP	n/a	R134a	n/a	machine unit with pythonsystem		+2° C / +12° C ^②	510W	870 x 553 x 370mm incl. pump
FK/VS	n/a	n.v.t.	n/a	evaporator unit		+1° C / +18° C	n.v.t.	455 x 553 x 315mm

① Conditions: T_e = -5° C | T_c = +45° C | ambient temperature = +25° C ② Thermostat: -3° C tot +8° C (python line)

* Depth of the cabinet is excluding handgrip, including power-supply-connection. During installation: add 40mm to the overall depth (in conjunction with the appliance's plug) and add 10 mm to the total width.



Gamko manufactures and supplies professional coolers for the bar and leisure industry

Gamko is a leading manufacturer and supplier of professional coolers for the bar and leisure industry. Since its establishment in 1958, Gamko has grown into an international company, which focuses mainly on manufacturing, selling and maintaining a complete range of professional drinks coolers.

Quality from Europe

With its own production and research department in Etten-Leur, The Netherlands, Gamko develops, manufactures and supplies products that are tailored to the needs and quality requirements of today's catering industry. Aspects such as design, functionality, customer satisfaction and the environment play a major role in this. Gamko is ISO9001- and ISO14001-certified, guaranteeing the quality of our products and processes and ensuring continuous improvement.

Modern production of equipment guarantees an excellent price-quality ratio and because production takes place in the Netherlands, Gamko also has highly flexible delivery times. If you choose Gamko, then you will be choosing quality, flexibility and sustainability.

Gamko: an international player with world-class products

Gamko has its own export department with a worldwide network of agents and its own sales organisations in Benelux, the United Kingdom and France. Our sales organisation delivers a complete range of cooling equipment, in particular for the bar and leisure industry right throughout the world. If after reading this brochure and/or documentation you would like more information about the products listed below, please feel free to contact Gamko.

Gamko manufactures and supplies (see also www.gamko.com)

- › FLEXBAR: modular (cocktail) bar system with unlimited options
- › E3: bottle coolers with glass doors, solid doors and drawers
- › Maxiglass: bottle coolers with glass and solid doors
- › Coolers for kegs and /or crates of bottles
- › Counter top coolers and freezers
- › Bottles and/or glass freezers
- › Stainless steel countertops
- › Remote condensing units
- › Refrigerated display cabinets
- › Waste disposal coolers

No rights can be derived from the information as shown in this brochure. Changes in content, technology and prices reserved. 08/2016



Gamko UK
(a division of ITW Ltd)

Oldmedow Road
King's Lynn
Norfolk
PE30 4JU

P (+44) (0)843 216 4665
F (+44) (0)843 216 4669
E sales@gamko.co.uk

www.gamko.com

Gamko Export
P.O. Box 274
4870 AG Etten-Leur

Mon Plaisir 75
4879 AL Etten-Leur
The Netherlands

T +31 (0)76 - 508 7500
F +31 (0)76 - 508 7529
E sales@gamko.nl

www.gamko.com