



# Product Code: FSL800H

## Slimline 800 Litre Upright Refrigerated Cabinet

---



### Features & Benefits

---

- When space is a prime concern, Slimline Cabinets provide the ideal storage solution
- LED electronic temperature display for accurate control and clear visual reference
- Robust stainless steel exterior finish with 304 stainless steel door
- Bottom mounted refrigeration system draws air from the cooler part of the kitchen ensuring efficient operation and lower running costs
- Forced air refrigeration system will operate up to 40°C (ISO Climate Class 5)

### External Finish

<b>s/steel ext, 304 s/s door</b>	Standard
<b>304 s/s</b>	Option

### Base Fittings

<b>Castors 80mm</b>	Standard
---------------------	----------

### Electrical, Service & Ecodesign Data

<b>230/50/1</b>	Standard
<b>Fuse Required</b>	13
<b>Global Warming Potential</b>	1430
<b>Energy Efficiency Index</b>	88.76
<b>Refrigerant Charge</b>	0.4
<b>kWh (24 hours)</b>	3.69

### Internal Finish

<b>aluminium</b>	Standard
<b>304 s/s</b>	Option

### Doors

<b>Solid</b>	Standard
--------------	----------

### Specification

<b>Dimensions (Width)</b>	1200
<b>Dimensions (Height)</b>	1900
<b>Dimensions (Depth)</b>	705
<b>Weight (Unpacked, kg)</b>	178
<b>Weight (Packed, kg)</b>	193.64
<b>Gross Volume</b>	800
<b>Noise DbA @ 1M</b>	TBC

### Shelving

<b>Nylon Coated Shelf</b>	Option
---------------------------	--------

### Refrigeration

<b>R290 - Energy Efficient</b>	Standard
<b>R134a - Industry Standard</b>	Option
<b>Integral Refrigeration System</b>	Standard

## Footnotes

- Bottom mounted system draws air from the cooler part of the kitchen ensuring lower running costs
- Forced air refrigeration for efficient operation, even temperature distribution and fast recovery
- Automatic Defrost for hassle-free operation
- Electronic temperature display for accurate control
- Delivers the reliability and performance you would expect from a Foster at a highly competitive price



## Application

This appliance is intended for use in ambient temperatures up to 40°C

## Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

## Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit [our policies](#)



Energy



Quality



Value



Design



Hygiene



After Care