



FEATURES

Precision and strength is key to the PARRILLA by MIBRASA®. Effortlessly regulate the height of your grill surface thanks to the carefully engineered pulley cable and counterweight system, keeping maintenance down to a minimum.

The system lets us sear, cook and rest our ingredients, to get the optimal result every time.

ERGONOMICALLY DESIGNED WITH MAXIMUM QUALITY AND **SECURITY**

With a sloping grill, the grease runs down the weld-free grill bars to prevent grease build-up. Grease drips down to the collector with an easy to remove mechanism ready to clean.

The base is lined with refractory bricks to ensure maximum heat efficiency and resistance to pure fire. And the built-in cooling system in outer case guarantees a maximum level of security.

Built using quality steels providing strength and durability; ergonomically designed for practicality and ease of use, each feature plays a crucial part in delivering the ultimate grilling machine for every chef.

TECHNICAL INFORMATION

Fire up time ¹	30 min-average
Cooking temperature	250 °C
Total cooking surface area	635mm x 890mm = 0.57m ²
Initial charcoal load ¹	15 kg
Grill height range	350 mm
Charcoal load duration ²	7 h
Equivalent power*	4.5 kW
Exhaust rate	4100 m³/h
Net weight ³	265 kg
Crated weight	383 kg
Crated size (WxDxH)	1120 x 1310 x 1380 mm

*Approximate data 1. Consult instruction manual 2. Will vary depending on quality of charcoal 3. Weight with accessories included

INCLUDED ACCESSORIES

- Rod grill [CPV100]
- Ember poker [PK]
- Ash shovel [PALA]
- Mibrasa tongs [TG]
- Grill brush [CEP]
- Mibrasa Ecofire firelighters [FL]

OPTIONAL ACCESSORIES

- V-shape grill [GV100]
- Extra rod grill [CPV100]
- End of service lid [TAPAGMB100]
- Thermal protector [EPGMB100]
- Espeto skewer kit [KITESPGMB100]
- GN support kit [SGN100]

Specifications and design are subject to change without notice.

QUALITY GUARANTEE
















FRONT VIEW




SIDE VIEW




GRILL TYPES




V-shape grill



GRILL DIMENSIONS




HEATING RACK DIMENSIONS




Revit drawings available on request at mibrasa@mibrasa.com

TOP VIEW



Dimensions in mm



Α	Reverse elevating system
В	Elevating wheel
С	Heating rack
D	Structure
Е	Grill
F	Grease collector
G	Refractory bricks
Н	Main body

INSTALLATION GUIDELINES AND SAFETY STANDARDS

Recommended installation height	700 mm
Clearances to construction/other appliances from the Parrilla	76 mm
Clearances of flammable materials from the Parrilla	300 mm
Clearance of workspace from front of the Parrilla	700 mm



*It is recommended to use a lifting device to lift the Parrilla and place on the countertop/stand. Consult Parrilla instruction manual for further information.

Specifications and design are subject to change without notice.



OPTIONAL COMPLETE STAND



TECHNICAL INFORMATION

Ref.	GMB100 + MCGMB100
Net weight ³	349 kg
Crated weight ³	467 kg
Crated size (WxDxH)	1120 x 1310 x 2000 mm


Ref.	MCGMB100
Net weight ³	84 kg
Crated weight ³	99 kg
Crated size (WxDxH)	1120 x 1310 x 700 mm
No. drawers	3
No. GN rack slots	5

OPTIONAL ACCESSORIES

S/S Casters [WINOX]


Dimensions in mm

FRONT VIEW



Dimensions in mm

SIDE VIEW



Specifications and design are subject to change without notice.

Mibrasa® Charcoal Ovens S.L

C/Joan Rovira i Bastons, 26 17230 Palamós - Spain +34 972 601 942 - mibrasa@mibrasa.com www.mibrasa.com



OPTIONAL STAND



TECHNICAL INFORMATION

Ref.	GMB100 + MGMB100
Net weight ³	300 kg
Crated weight ³	418 kg
Crated size (WxDxH)	1120 x 1310 x 2000 mm


Ref.	MGMB100
Net weight ³	35 kg
Crated weight ³	50 kg
Crated size (WxDxH)	1120 x 1310 x 700 mm

OPTIONAL ACCESSORIES

- S/S Casters [WINOX]
- Gastronorm rack [SGN100]


 ${\sf Dimensions} \; {\sf in} \; {\sf mm}$

FRONT VIEW



Dimensions in mm

SIDE VIEW



Specifications and design are subject to change without notice.

Mibrasa® Charcoal Ovens S.L

C/Joan Rovira i Bastons, 26 17230 Palamós - Spain +34 972 601 942 - mibrasa@mibrasa.com www.mibrasa.com