



F76/250/B - IMC Ventus  
V90 Bottle Cooler [Front  
Load] - Glass Door - Black  
Painted Frame - H 900  
mm - W 900 mm - R290

Ventus forms part of our dynamic range of bottle coolers. With over 150 options you can be assured that the feature packed V90 can be tailored to suit any bar environment.

- ✔ Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- ✔ Energy efficient EcoSmart controller - at the touch of a button, put the bottle cooler into its most economical state until next required
- ✔ Elegant, flexible storage for up to 195 bottles
- ✔ Sleek stainless steel interior and LED lighting to enhance display
- ✔ Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.
- ✔ Twin double-glazed lockable doors for enhanced security
- ✔ Electronic temperature control keeps drinks at the perfect serving temperature
- ✔ UK 3 pin plug allows users to simply plug in and switch on

**Specifications**

**Summary**

<b>Brand</b>	IMC
<b>Range</b>	Ventus
<b>Power Type</b>	Electric
<b>Unit Type</b>	Free-standing
<b>Available in UK Only</b>	No
<b>UK Warranty</b>	2 Years Parts and Labour Warranty
<b>Export Warranty</b>	Contact your local dealer
<b>GTIN</b>	5056105197591

**Power and Performance**

<b>Total Power kW</b>	0.410
<b>Temperature Range °C</b>	2-6
<b>IP Rating</b>	IPX1
<b>Temperature Control</b>	Electronic

**Key Specifications**

<b>Door Hinge</b>	Left; Right
<b>Door Location</b>	Front
<b>Lockable Door</b>	Yes
<b>Colour</b>	Black Painted
<b>Number of Doors</b>	2
<b>Door Type</b>	Standard frame, glass
<b>Number of Shelves included</b>	2
<b>Number of Shelf Positions</b>	29
<b>Refrigerant Type</b>	R290
<b>Type of Lighting</b>	LED

**Capacity**

<b>Capacity Bottles</b>	195
<b>Capacity Litres</b>	214

**Weights and Dimensions**

<b>Unit Height (External) mm</b>	900
<b>Unit Width (External) mm</b>	900
<b>Unit Depth (External) mm</b>	500
<b>Height (Internal) mm</b>	755
<b>Width (Internal) mm</b>	826
<b>Depth (Internal) mm</b>	377
<b>Shelf Dimensions Width mm</b>	810
<b>Shelf Dimensions Depth mm</b>	373
<b>Net Weight Kg</b>	80

**Supply Connections**

<b>Requires Installation</b>	No
<b>Requires Electrical Supply</b>	Yes
<b>UK 3 Pin Plug</b>	Yes
<b>Requires Hardwiring</b>	No
<b>Electrical Supply Rating Watts</b>	410
<b>Single Phase Amps</b>	1.71
<b>Single Phase Voltage</b>	240

## Shipping

<b>Packed Weight Kg</b>	88
<b>Packed Height cm</b>	106
<b>Packed Width cm</b>	96
<b>Packed Depth cm</b>	58

## Available Options

### Door Type

<b>VS419</b>	VS419 - Change to Solid Door
<b>VS469</b>	VS469 - Change to Frameless Glass Door
<b>VS489</b>	VS489 - Change to Fixing Point Solid Door
<b>VS494</b>	VS494 - Change to Fixing Point Glass Door

### Wood Cladding

<b>VS405</b>	VS405 - Wood Cladding Kit - Add to F-Point Door
--------------	---

### Handle Type

<b>VS446HOR</b>	VS446HOR - Short Horizontal Handle
<b>VS446VER</b>	VS446VER - Short Vertical Handle
<b>VS447HOR</b>	VS447HOR - Long Horizontal Handle
<b>VS447VER</b>	VS447VER - Long Vertical Handle

### Lighting

<b>VS855</b>	VS855 - Change to Red LED Lights
<b>VS856</b>	VS856 - Change to Green LED Lights
<b>VS857</b>	VS857 - Change to Blue LED Lights

### Shelving Type

<b>VS360</b>	VS360 - Change to Wine Shelving
<b>VS400</b>	VS400 - Change to Perforated Shelving

### EU Plug

<b>VS401</b>	VS401 - Change to EU Plug
--------------	---------------------------

### De-Gassed

<b>VS1017</b>	VS1017 - De-Gassed for Air Freight
---------------	------------------------------------

## Available Accessories

<b>A12/092/Z1</b>	Wire Shelf - Chrome - for M90 Bottle Cooler
<b>A12/101</b>	Wine Shelf - Chrome - for M90 Bottle Cooler
<b>S76/047</b>	Perforated Shelf - for V90 - 500D



**Lincat Limited**

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



**Customer Care**

**Tel:** +44 1522 875500  
**Email:** care@lincat.co.uk

**Export Customers**

**Tel:** +44 1522 875536  
**Email:** export@lincat.co.uk

**Opening Hours**

**Monday – Friday:**  
8.30am – 5pm