

Xpress High Speed Ovens



Helping you cook the same great food faster!

TIME IS MONEY

XPRESS HIGH SPEED OVENS DON'T WASTE EITHER



COMBINES 3 COOKING ENERGIES



Impingement

- 3000W, with adjustable 0-100% fan speed
- Enhances toasting and browning



Convection

- 95°-270°C temperature range
- Enhances browning



Microwave Assist

- 1000W or 2000W options
- Top antenna feed
- Heats quickly, reduces cooking time

FEATURES AND BENEFITS

- Minimised footprint, maximised cavity design
 - Easily accommodates a 12" pizza
- On-demand cooking
 - Prepare fresh foods with great taste and texture
 - Minimize waste. Cook food when it's ordered
- Exclusive chef safety features
 - Cool-to-the-touch exterior
- Flexible cooking platform
 - Use any combination of cooking energies
- Uses metal cookware
 - No special cookware needed — No added expense
 - Maximum metal pan height: 38mm

Falcon Xpress Cooktime Comparisons

FOOD ITEM	Conventional Cooking	MXP	MRX52F	MRX51UF	JET519V3F	JET514UF
Pizza (12")	20:00	2:47	2:47	3:07	3:45	5:00
Large Baked Potato	60:00	4:55	4:55	7:45	5:25	6:45



ENERGY EFFICIENT BY DESIGN

Falcon Xpress High Speed Ovens combine microwave energy with other proven cooking technologies, offering energy savings over traditional equipment

With cooking speeds of up to 15 times faster than conventional methods, operators can cook more in less time while using less energy.

Plus there's no need for costly ventilation!

All Falcon Xpress products are supported by our culinary team. Do not hesitate to contact us for any questions regarding food preparation, menu development and cooking times:

chef@falconfoodservice.com



Technical service, including warranty calls, is provided by Marren Microwaves Ltd, the UK's microwave and accelerated cooking specialists.

marren

XPRESS HIGH SPEED OVENS

POWER AND SPEED FOR ALL YOUR BAKING, TOASTING, AND CRISPING NEEDS.



JET

- Convection
- Microwave Assist

- Ventless Options
- Available in select models
- Touchpad controls
- USB Connectivity Standard



Fast Cook Times—High-Quality Results

- Frozen 12" pizza bakes in:
 - 3:45 (1900W unit)
 - 5:00 (1400W unit)



MRX

- Impingement
- Convection
- Microwave Assist

- Ventless cooking standard
- Certified for ventless
- True-Touch™ HD Touchscreen
- Connectivity Standard



Fast Cook Times—High-Quality Results

- Frozen 12" pizza bakes in:
 - 2:47 (2000W unit)
 - 3:07 (1000W unit)



MXP

- Impingement
- Convection
- Microwave Assist
- Infra-red radiant

- Ventless cooking standard
- Certified for ventless
- True-Touch™ HD Touchscreen
- Connectivity Standard



Fast Cook Times—High-Quality Results

- Frozen 14" pizza bakes in 2:47

SERIES	MODEL	COOKING POWER	CATALYTIC CONVERTER	MAX. COOK TIME	POWER CONSUMPTION	POWER SOURCE	PLUG TYPE	WEIGHT
MXP	MXP5223TLTF	3000W -Infra-red Radiant 2200W -Microwave 2000W -Impingement	Yes	99:99	5800W,27.4A	400V, 50Hz, WYE, 16A, 3phase, 5wire	IEC 309	68kg
MXP	MXP5221TLTF	3000W -Infra-red Radiant 2200W -Microwave 2000W -Impingement	Yes	99:99	5800W,27.4A	230-240V, 50Hz, 32A, single phase	IEC 309	68kg
MRX	MRX523F	3000W -Impingement 2000W -Microwave	Yes	99:99	5950W,16A	400V, 50Hz, WYE, 16A, 3phase, 5wire	IEC 309	61kg
MRX	MRX52F	3000W -Impingement 2000W -Microwave	Yes	99:99	5950W,28.6A	230-240V, 50Hz, 32A, single phase	IEC 309	61kg
MRX	MRX51UF	3000W -Impingement 1000W -Microwave	Yes	99:99	2450W,13A	230-240V, 50Hz, 13A, single phase	BS1363A	53kg
JET	JET519V3F	2700W -Convection 1900W -Microwave	Yes	16:00	6200W,14A	400V, 50Hz, 16A, 3phase, 5wire	IEC 309	51kg
JET	JET514UF	2700W -Convection 1400W -Microwave	No	20:00	2400W, 11A	230-240V, 50Hz, 13A, single phase	BS1363A	50kg



Xpress High Speed Ovens



JET

MRX

MXP

COOKING AND PROGRAMMING	TEMPERATURE RANGE	95° - 250°C	95° - 270°C	95° - 270°C
	MICROWAVE DISTRIBUTION	Rotating antennas, top	Rotating antennas, top	Double side oscillating antenna
	PROGRAMMING	USB port	USB port, Wi-Fi, Ethernet	USB port, Wi-Fi, Ethernet
	CONTROL TOUCH PADS	10	N/A	N/A
	PROGRAMMABLE SETTINGS	100	1200+	1200+
	POWER LEVELS	11	11	11
	STAGE COOKING	Yes, 4	Yes, 4	Yes, 4
STANDARD CHASSIS FEATURES	DISPLAY	2.8" Color LCD	7" True-Touch™ HD Capacitive Touchscreen, Color LCD	7" True-Touch™ HD Capacitive Touchscreen, Color LCD
	AIR FILTER	(1) Non-removable with cleaning reminder**	(3) Removable with cleaning reminder	(2) Removable with cleaning reminder
	NON-STICK LINERS INSTALLED	No ‡	Yes	Yes
	RACK	2 rack positions, 1 removable rack	Removable cooking surface	1 rack position, 1 removable rack
	INTERIOR / EXTERIOR FINISH	Stainless Steel/ Stainless Steel	Stainless Steel/ Stainless Steel	Stainless Steel/ Stainless Steel
	STACKABLE?	Yes	Yes, with cart	Yes
	DOOR OPENING	Lift & Pull	Pull down, ergonomic handle	Pull down, ergonomic handle
DIMENSIONS	USABLE CAVITY SPACE	34 L	17.2 L	39 L
	CAVITY DIMENSIONS	H: 267mm W: 330mm D: 381mm	H: 178mm W: 312mm D: 312mm	H: 254mm W: 406mm D: 381mm
	EXTERIOR DIMENSIONS	H: 461mm W: 490mm D: 671mm (including handle)	H: 578mm W: 358mm D: 743mm (including handle)	H: 518mm W: 638mm D: 705mm (including handle)
	PACKED DIMENSIONS	H: 546mm W: 540mm D: 756mm	H: 677mm W: 584mm D: 883mm	H: 662mm W: 879mm D: 828mm

**Removable magnetic air filter accessory available (#AF10)

‡ Accessory available for purchase separately