



LCOXL - Lincat Lynx 400 Electric Counter-top XL Convection Oven - W 670 mm - D 570 mm - 2.5 kW

Lynx 400 Series XL Convection Oven
2.5kW accommodates 4 x 1/1 gastronorms.

- ✓ Powerful fan assisted cooking for uniform heat, and consistent cooking results
- ✓ Powerful 2.5kW oven allows rapid heat up time
- ✓ Temperature range 50-250°C
- ✓ Simple dial control for easy use
- ✓ 55 minute timer enables accurate cooking times
- ✓ Accommodates 4 x 1/1 gastronorms placed directly on shelf runners
- ✓ Side opening door with double glazed glass viewing panel, for energy efficiency, and cool touch door
- ✓ Easy plug and play operation - 13A plug

Specifications

Summary

Power and Performance

| | |
|-----------------------------|-----------------------------------|
| Brand | Lincat |
| Range | Lynx 400 |
| Power Type | Electric |
| Unit Type | Counter-top |
| Available in UK Only | No |
| UK Warranty | 2 Years Parts and Labour Warranty |
| Export Warranty | Contact your local dealer |
| GTIN | 5056105120162 |

| | |
|-----------------------------|------------|
| Total Power kW | 2.5 |
| Temperature Range °C | 50-250 |
| IP Rating | IP24 |
| Controls Position | Below |
| Temperature Control | Mechanical |
| Timer Range mins | 55 |

Key Specifications

Capacity

| | | | |
|-------------------------------------|--------------------------|----------------------------|------------------|
| Stackable | No | Gastronorm Capacity | 4 x GN1/1 |
| Feet Height/Type | 20mm adjustable | Shelf Spacing mm | 80 |
| Continuous Plug-In Door Seal | Plug in - not continuous | Sheet Pan Capacity | 4 x 533 x 381 mm |
| Removable Inner Door Glass | Yes | Capacity Litres | 100.4 |
| Handle Type | Grab | | |
| Vented Door | Yes | | |
| Reversible Door | No | | |
| Door Type | Left Hinged | | |
| Phased Cooking | No | | |
| Shelf Timer(s) (Number) | No | | |
| Grill Element/Mode | No | | |
| Core Temp Probe | No | | |
| Steam Injection | No | | |
| Fan(s) Speed | 1 | | |
| Fan(s) Type | Single Direction | | |
| Number of Fan(s) | 1 | | |
| Euronorm Compatible | No | | |
| Sheet Pan Compatible | Yes | | |
| Removeable Shelf Guides | Yes | | |
| Manual Mode | Yes | | |
| Programmable | No | | |
| Timer Type | Mechanical | | |
| Number of Shelves included | 3 | | |
| Number of Shelf Positions | 4 | | |
| Type of Lighting | Filament Bulb | | |
| Construction/Finish | 430 S/S cavity | | |
| GN Compatible | Yes | | |

| Weights and Dimensions | | Supply Connections | |
|----------------------------------|------|---------------------------------------|-------|
| Unit Height (External) mm | 605 | Requires Installation | No |
| Unit Width (External) mm | 670 | Requires Electrical Supply | Yes |
| Unit Depth (External) mm | 570 | UK 3 Pin Plug | Yes |
| Height (Internal) mm | 440 | Requires Hardwiring | No |
| Width (Internal) mm | 585 | Electrical Supply Rating Watts | 2,500 |
| Depth (Internal) mm | 390 | Single Phase Amps | 10.9 |
| Shelf Dimensions Width mm | 550 | Single Phase Voltage | 230 |
| Shelf Dimensions Depth mm | 330 | USB Port | No |
| Net Weight Kg | 49.6 | | |

Shipping




| | |
|-------------------------|------|
| Packed Weight Kg | 59.6 |
| Packed Height cm | 76 |
| Packed Width cm | 70 |
| Packed Depth cm | 85 |

Available Accessories

SH141

Shelf for LCOXL ovens 553mm x 330mm

Technical Picture



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm