

User manual for:

Manufacturer	Model	
Interlevin	MB35	

Uploaded: Feb 2016

Interlevin Refrigeration Ltd

West Meadow Rise Castle Donington

Derby DE74 2HL Sales: 01332 850090 Parts: 01332 850190

Service: 01332 850064

Email: trade.sales@interlevin.co.uk

Web www.interlevin.co.uk



User Manual Minibar Model No:MB35

Caution and Attention

Please read the user manual carefully before using it.

Electrical wire is easy to be damaged by cutting, extending or heating.

Fire and creepage will be happened if using damaged electrical wire.

If electrical wire is damaged, please change to appropriative one or change it from factory.

Avoiding catching fire, please don't lengthen electrical wire or using it with other appliances.

Avoiding creepage, please don't touch plug and power switch by wet hand.

Please use standard and qualified electrical outlet.

Please don't maintain, repair and disassemble it by yourself.

Please unplug electrical plug if dangerous things happen.

Please unplug electrical plug if not using it for long time.

Please don't store food, fruit and beverage for long time if opening it, otherwise it

is easy to make bad and germ, also please don't eat them.

Because insulation material is flammable, please keep it away from fire.

How to use

Please put it on horizontal place and make ventilation well according to our indication. Please refer to No.4 indication picture.

Please connect with electrical outlet and check whether the lamp is light, if light, it means working.


Closing door and working for 2 hours, then put food, fruit or beverage into it.

Our setting inside tempture is around 8 based on 25 ambient temperature. It can not be adjusted. If need clean it, please take off plug firstly.

Please use soft or cotton cloth to clean it.

If need move it, please take out plug and all of food, fruit or beverage firstly.

Structure



How to change door

1. Take out top hinge after loose 3 screw on top hinge.

2. take out door


3 take out bottom hinge.

4.take out screw cover.


5. install bottom hinge

6.install door and install top hinge.

7.intall screw cover to another side.



1.Hinge Cover 2.M5X12 Screw 3.Top hinge 4.Door 5.Bottom hinge 6.Screw cap



Specificatio	n
	Minibar
Model No	MB35
Dimension	W385mm*D455mm*H485mm
Capacity	35L
Net Weight	10.2 kg
Rated V/Hz	220V 50/60Hz
Rated W	63W
Rated A	0.6A


Trouble shooting

Doesn't Work	If power off?	
	If connnect with electrical outlet?	
	If lamp is light?	
	If ambient temperature is very high?	
Inside Temperature	If door gasket is ok?	
is not enough	If ventilation accords to our requirement (No.4 Picture)	
	If ambient temperature is very high?	





If you are building the MB35 into a cabinet, please make there is sufficient ventilation. This will give ensure good cooling, save energy and help lengthen the life of the cabinet.





- *Above ventilation drawings for your reference!
- *Please remain at least 200cm2 ventilation area!