





OG8110/OP/P - Lincat
Opus 800 Propane Gas
Free-standing Single
Tank Fryer with Pumped
Filtration - 1 Basket - W
300 mm - 16.0 kW

An accurate Opus 800 Single-Tank Free Standing Gas Fryer which comes with a pumped oil filtration system.

- Accurate thermostatic control up to 190°C for consistent results and safe operation
- Convenient piezo ignition
- Pumped oil return enables the oil to be filtered and the fryer ready for use again in less than five minutes - safe and convenient
- Oil can be filtered during or after service even whilst hot
- Externally fired heating gives easy access for cleaning tanks

S		Dawer and Darfarmana	
Summary		Power and Performance	
Brand	Lincat	BTU per Hour	54,592
Range	Opus 800	Total Power kW	16.0
Power Type	Gas	Temperature Range °C	90-190
Gas Type	Propane Gas	IP Rating	IP24
Unit Type	Free-standing	Temperature Control	Mechanical
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105103110		
Key Specifications		Capacity	
Number of Baskets	1	Product Output per Hour	22kg chips - 12mm [frozen], 32kg chips
Number of Tanks	1	• •	12mm [chi
Gravity Filtration	No	Capacity Litres	14.0
Pumped Filtration	Yes		
Drain Location	Through the body		
Weights and Dimensions		Supply Connections	
Unit Height (External) mm	1070	Requires Installation	Yes
Unit Width (External) mm	300	Requires Electrical Supply	Yes
Unit Depth (External) mm	815	UK 3 Pin Plug	Yes
Net Weight Kg	84	Requires Hardwiring	No
		Electrical Supply Rating Watts	100
		Single Phase Amps	0.5
		Single Phase Voltage	230
		Gas Connection BSP	1/2"
		Gas Consumption at full rate Propane m³ per Hour	1.14
		Gas Pressure Propane mbar	37.0
		Total heat input at full rate Propane	16.0

Total heat input at full rate Propane BTU per hour

54,594





Shipping

Packed Weight Kg92.4Packed Height cm122Packed Width cm85Packed Depth cm45

Available Accessories


CH01 Caterflex Hose 1/2" - 1 Metre - for use with units up to 66,000 BTU

CH02 Caterflex Hose 1/2" - 1.5 Metre - for use with units up to 56,000 BTU


LK02 OPUS 350 LEG KIT

OA8955 SPLASHGUARD FRYERS - OPUS 800

Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm



Product Code: 0G8110/0P/P Page Number: 3 **Print Date:** 07/09/2023