lincat





OG8111/P - Lincat Opus 800 Propane Gas Freestanding Twin Tank Fryer - 2 Baskets - W 600 mm - 32.0 kW

An accurate Opus 800 Twin-Tank Free Standing Gas Fryer which comes with two independent fryer tanks for greater versatility.

Two independent fryer tanks for greater versatility

Convenient piezo ignition

Externally fired heating gives easy access for cleaning tanks

Specifications

Summary		Power and Performance	
Brand	Lincat	BTU per Hour	109,184
Range	Opus 800	Total Power kW	32.0
Power Type	Gas	Temperature Range °C	90-190
Gas Type	Propane Gas	Temperature Control	Mechanical
Unit Type	Free-standing		
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105103189		
Key Specifications		Capacity	
Number of Baskets	2	Product Output per Hour	44kg chips - 12mm [frozen], 64kg chips
Number of Tanks	2	r roudet output per riour	12mm[chi
Gravity Filtration	No	Capacity Litres	2×14.0
Pumped Filtration	No		
Drain Location	Through the body		
Weights and Dimensions		Supply Connections	
Jnit Height (External) mm	1020	Requires Installation	Yes
Jnit Width (External) mm	600	Requires Electrical Supply	No
Unit Depth (External) mm	800	Gas Connection BSP	1/2"
Net Weight Kg	131.7	Gas Consumption at full rate Propane m ³ per Hour	2.29
		Gas Pressure Propane mbar	37.0
		Total heat input at full rate Propane kW	32.0
		Total heat input at full rate Propane BTU per hour	109,189


Shipping


Packed Weight Kg	144.87
Packed Height cm	122
Packed Width cm	70
Packed Depth cm	85

Available Accessories	
LK02	OPUS 350 LEG KIT
OA8955	SPLASHGUARD FRYERS - OPUS 800
OF2	Oil filter kit - size 2



Technical Picture






Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk



Lincat frifri

Lincat Limited

Whisby Road, Lincoln, LN6 30,Z

United Kingdom

Company No: 2175448

A member company of



Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm