





OG8201/N - Lincat Opus 800 Natural Gas Countertop Griddle - W 600 mm -15.5 kW Cooking a Full English Breakfast has never been easier than it is with the Opus 800 Gas Steel Griddle, which utilises a maximised cooking area.

- Maximised cooking area, griddle plates sit flush to the sides of the unit
- Two separately controlled heat zones give you the option of operating either zone independently to provide a smaller cooking area during quiet periods as well as offering versatility when cooking two separate meals simultaneously
- Flame failure protection
- Precise thermostatic control up to 280°C for consistent results and economical operation

#### **Specifications**

Summary		Power and Performance	
Brand	Lincat	BTU per Hour	52,886
Range	Opus 800	Total Power kW	15.5
Power Type	Gas	Temperature Range °C	90-280
Gas Type	Natural Gas	Cooking Area (Width x Depth) mm	590 x 600
Unit Type	Counter-top	Temperature Control	Mechanical
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105102656		

Key Specifications		Capacity	
Number of Heat Zones	2	Product Output per Hour	128 x 225g [8oz] steaks [chilled]
Grill Plate Surface Type	Smooth		
Grill Plate Material	Steel		

Weights and Dimensions		Supply Connections	Supply Connections	
Unit Height (External) mm	532	Requires Installation	Yes	
Unit Width (External) mm	600	Requires Electrical Supply	No	
Unit Depth (External) mm	800	Gas Connection BSP	1/2"	
Net Weight Kg	79.5	Gas Consumption at full rate Natural m³ per Hour	1.48	
		Gas Pressure Natural mbar	20.0	
		Total heat input at full rate Natural kW	15.5	
		Total heat input at full rate Natural BTU per hour	15.5	

# Shipping

Packed Weight Kg	87.45
Packed Height cm	63
Packed Width cm	70
Packed Depth cm	85

#### **Available Accessories**

CH01	Caterflex Hose 1/2" - 1 Metre - for use with units up to 66,000 BTU
CH02	Caterflex Hose 1/2" - 1.5 Metre - for use with units up to 56,000 BTU
OA8917	Lincat Opus 800 Free-standing Floor Stand with Legs - for units W 600 mm






### **Available Accessories**


OA8917/C Lincat Opus 800 Free-standing Floor Stand with Castors - for units W 600 mm


OA8972 Lincat Opus 800 Free-standing Pedestal with Doors and Legs - for units W 600 mm

OA8972/C Lincat Opus 800 Free-standing Pedestal with Doors and Castors - for units W 600 mm

## **Technical Picture**













**Lincat Limited** 

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

**Company No:** 2175448

A member company of

**Customer Care** 

**Tel:** +44 1522 875500

Email: care@lincat.co.uk

**Export Customers** 

**Tel:** +44 1522 875536

Email: export@lincat.co.uk

**Opening Hours** 

Monday - Friday:

8.30am - 5pm



Product Code: 0G8201/N Page Number: 3 Print Date: 14/09/2023