



SILVERLINK 600

PRODUCT OPTIONS AND ACCESSORIES

- ABP03 Branding Plate Kit
- SGE1/BS Bench Stand
- SGE1/WS Wall Stand
- SGE1/FS Floor Stand
- BR15 Wall Bracket

PRODUCT FEATURES

- The performance of a Lincat GR3 while delivering a 50% energy saving
- On-demand cooking delivers savings without operational compromise
- Sleep mode to achieve maximum energy savings during quieter periods
- Customisable full power and 50% timers to tailor the grill to your menu and the desired level of energy saving
- 50% power mode keeps the cavity warm for fast recovery
- High-temperature glass covered elements and removable roasting rack and crumb tray, make it effortless to keep clean
- 4 shelf positions to give maximum flexibility for all catering operations
- Plug and play - UK 3 Pin Plug

The Silverlink EcoSense Electric Salamander Grill not only outperforms the standard GR3 Salamander but also achieves a remarkable 50% energy saving. Its innovative "jog to sprint" energy-saving concept represents a significant advancement in smart cooking technology, effectively slashing energy consumption by half.

A/A FILE NUMBER:

ITEM NUMBER:

WEIGHTS & DIMENSIONS

Width	635 mm
Depth	373 mm
Height	347 mm
Weight	25.9 kg
Clearance Required: Top	500 mm
Clearance Required: Front	1000 mm
Clearance Required: Left Side	300 mm
Clearance Required: Right Side	300 mm

SHIPPING DETAILS

Ship Width	55 cm
Ship Depth	70 cm
Ship Height	49.6 cm
Ship Weight	29 kg
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Electrical Plug Type	UK 3-Pin Plug
Electrical Total Amperage	12.2 A	Number of Electrical Plugs	1
Electrical Volts	230V	Electrical Connection Type	Cord and Plug
Electrical Total Wattage	2800 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	2.8 kW	Dedicated Circuit Required	Yes
Electrical Phase	1-Phase	Electrical Remarks	Single

ADDITIONAL SPECIFICATIONS

Broiler Base Configuration	Not Applicable	Heat Location	Top Only
Broiler Type	Salamander	Heat Source Type	Infrared
Construction Materials	Stainless Steel	Number of Heating Zones	1
Control Type	Electronic, Push Button	Number of Shelf Positions	4
Cooking Area Plate Depth	230 mm	Ventless Cooking Technology	No
Cooking Area Plate Width	410 mm		

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING

