

## LINCAT SILVERLINK ELECTRIC COUNTER-TOP INDUCTION HOB - 1 ZONE - W 450 MM - 3.0 KW

### **MODEL: SLI3**



Embrace the energy efficient power of the Silverlink 600 Electric Induction Hob, which typically delivers 90% efficiency when compared with a solid electric hot plate at 55% and gas hob at 50%. An added efficiency is that ventilation and air conditioning costs can also be reduced, as the heat is generated in the pan instead of the hob surface, focusing energy where it's needed, and not wasting it into the kitchen. It's a highly responsive and controllable cooking method which delivers almost twice the cooking power of a similarly rated gas hob. The boost function delivers even more power when it's most needed.

#### **SILVERLINK 600**

### PRODUCT OPTIONS AND ACCESSORIES

- CC4 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 450 mm
- CN4 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 450 mm
- SLS4 Lincat Silverlink 600 Free-standing Floor Stand for units W 450 mm

### **PRODUCT FEATURES**

- Highly responsive and controllable cooking method.
- High power delivers almost twice the cooking power of a similarly rated gas hob, whilst saving energy
- Boost function delivers power when it's most needed
- Designed to perfectly blend in with other products from the Silverlink 600 series
- Pan detection function cuts power when no pan is present, cutting running costs and creating a safer, more comfortable working environment.
- Automatic heat up function switches to a preset power level after full power heat up
- 6mm thick high impact resistant ceramic glass ceramic surface will withstand hard knocks and is easy to clean
- Easy to use rotary controls complete with LED display of power level. Easy to change filter, built into the base of the unit. Powerful internal cooling fan and overheat protection for long service life







# LINCAT SILVERLINK ELECTRIC COUNTER-TOP INDUCTION HOB - 1 ZONE - W 450 MM - 3.0 KW

## **MODEL: SLI3**

WEIGHTS & DIMENSIONS	
Width	450 mil
Depth	600 mil
Height	290 mil
Weight	18.3 kg

SHIPPING DETAILS	
Ship Width	70 cm
Ship Depth	55 cm
Ship Height	49.5 cm
Ship Weight	20.13 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

### **PRODUCT CERTIFICATIONS**



ENERGY SPECS			
Primary Energy Source Type	Electricity	Number of Electrical Conductor Wires	1
Electrical Amps	13	Electrical Connection Type	Cord and Plug
Electrical Voltage	230 volts	Electrical Plug Type	UK 3-Pin Plug
Electrical Watts	3000	Number of Electrical Plugs	1
Electrical Phase	Single	Dedicated Circuit Required	No
Kilowatts	3 kW	Energy Saving	Yes

ADDITIONAL SPECIFICATIONS			
Control Type	Electronic, Rotary Con-	Number of Heating Zones	11
	trol Knob	Number of Hot Top Burners	1
Cooking Plate Finish Material Type	Ceran Glass	Number of Shelves	Not Applicable
Exterior Finish Color	Stainless Steel	Open or Sealed Burners	Not Applicable
Exterior Trim Finish Color	Stainless Steel	Style	Countertop
High Altitude Kit Available	No	Watts Per Element	3000

SELECT COOKING EQUIPMENT	NUMBER OF	POWER RATING		ARRANGE- MENT	WIDTH	DEPTH
Induction Burner 1		1	3	Center	180 mm	180 mm

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024





### LINCAT SILVERLINK ELECTRIC COUNTER-TOP INDUCTION HOB - 1 **ZONE - W 450 MM - 3.0 KW**

**MODEL: SLI3** 

SELECT BASE EQUIPMENT	NUMBER OF	<b>CUBIC CAPACITY EACH</b>	WIDTH	DEPTH	HEIGHT
Not Applicable For This Item					

### **BIDDING SPECIFICATIONS**

Bidding Specifications Not Available.

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.






Document Auto-Generated







**MODEL: SLI3** 

### **TECHNICAL DRAWING**







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.