

Small Pie Cabinet SPCD



British Built for Purpose.





Parry is one of the UK's foremost manufacturers of high-quality Stainless Steel Fabricated Products with a 40-year heritage rooted in British craftsmanship.

At Parry, quality and service are second nature. Striving to exceed our customers' expectations is not just our motto; it's the very heartbeat of our business. Our commitment to our customers is reflected in the Parry 4E Standard Inspection Body stating that all our products are:







Easy to maintain



Easy to clean



Easy to repair

Our ranges of Stainless Steel Products have been specifically designed with the consumer in mind and are tailored and compliant to your specific industry sector. All our products are 4E Compliant and meet EU & UK regulations, where applicable. The Parry brand stands for quality, reliability and value.

Our British designed products have been created by our expert in-house development team and manufactured to exacting standards using Industry specified grade of European stainless steel and holding relevant EU & UK certification for all product.

ISO9001 certification and continual investment in the training and development of our highly skilled, artisan workforce means that our clients have genuine peace of mind that they are buying hand crafted, quality products supported by five-star customer service. All Parry products meet EU regulations for their respective sector.

We are LEAN manufacturers, minimising waste, maximising productivity. We are proud to run an operation that is committed to minimising our impact on the environment.

Our equipment and furniture are manufactured in our 45,000 sq ft manufacturing facility in Draycott, Derbyshire in England's industrial heartland. Products are made to order if not available in our stocked items which means you can choose from 600 products, offering over 3,500 variants, with short lead times to suit your specific needs. That means you get exactly what you need when you need it.

Our product information can be found here, in our brochure or on our website www.parry.co.uk.

You have my personal commitment that Parry will exceed your expectations. Should you have any questions please contact your distributor. Alternatively, our customer services team will be happy to help you on **01332 875544**.

Mark Banton MBA Managing Director

Contents

Contents	1
Product Overview	2
Safety Instructions	3
Installation Instructions	3
Operating Instructions	4-5
Cleaning Instructions	5
Maintenance Instructions	6
Fault Finding	7
Service Information	8
Wiring Diagram	9
Exploded View	10
Parts List	11
Warranty Information	12
Disnosal & Recycling	13

Parry Catering Equipment (Midlands) Ltd, Town End Road, Draycott, Derby, DE72 3PT.

Sales Tel: 01332 875544



Product Overview

Constructed with a robust stainless steel frame for reliable storage space and easy cleaning, this Parry Modular Heated Pie Cabinet can accommodate up to 18 freshly baked pies hygienically without losing the customer's view of the product. Digital controlled.

- Sliding doors to control side and solid glass to front.
- Supplied with a water reservoir to aid humidity.
- Manufactured from high grade stainless steel.
- Unit also includes an internal light.

	SPCD
Unpacked weight (kg)	15.5
Packet weight (kg)	18
Dimensions (w x d x h) mm	400 x 360 x 455
Warranty	2 Years
Overall power rating	280W
Plug	1

It leads the industry in:

- Design and aesthetic appeal
- Performance
- Power
- Functionality
- After sales support



Safety Instructions

This appliance has been designed to warm products and therefore during its use parts of the appliance will become very hot. All personnel must be given appropriate supervision and training in the safe use of this appliance.

- All appliances other than those supplied with a sealed moulded plug must be fitted with a sealed moulded plug by a qualified electrician, in accordance with current regulations.
- The unit should be installed in compliance with the Installation Instructions and the National regulations in force at the time. Particular attention should be paid to the Health and Safety at Work Act.
- To prevent shocks, all appliances whether gas or electric, must be earthed.
- To avoid scratching of the unit, the protective film on the exterior surfaces has NOT been removed, this is to protect the highly polished exterior whilst in transit.
- It is IMPORTANT that this protective film is peeled off before the equipment is used.
- Ensure that vents intended to provide air flow in and around the unit are not obstructed.
- Ensure the appliance is isolated from the power supply before installing, cleaning or maintaining the appliance




Installation Instructions

It is important that all protective film is removed from the unit and all packaging materials disposed of before use.

Ensure the unit is positioned on a flat surface.

- Carefully slide the front glass into the supports on the front of the unit.
- To remove the shelves and remove all the packaging you will need to remove the door. To remove the door, ensure the door is in the closed position. Holding the handle and the bottom of the door, lift the door up until the bottom of the hinge comes out of the base of the unit, then tilt the door and pull it away from the unit.



Slide the shelves into the unit so that they rest on the shelf supports.



Operating Instructions

The unit is designed to keep food warm whilst serving and should never be used to try to cook food. All pies must be cooked before being placed in the warmer in accordance with pie manufacturer's instructions.

Operation

- Plug the unit in and switch on at power supply; interior lamp and red lamp will both illuminate.
- It is advisable to preheat the warmer for 30mins before placing hot product into the unit.
- The element guard contains a water reservoir which can be filled to help keep the stored food moist.
- Under no circumstances must the element or racks be covered over, i.e. wrapped in foil, or blocked with a plate.
- Ensure the door is kept closed between each serving to keep heat loss to a minimum.

Controller Operation



- Turn on the power switch located at the side of controller on top of the unit.
- 7 The set point is factory set at 70°C



Operating Instructions

Setting the set point

- Press and hold the set button for at least 2 seconds to see the current set point.
- lacktriangle When in this mode the lacktriangle symbol will appear on the controller display.
- Press using the down and up buttons to change the value.
- lacktriangle When the set press the $\underbrace{(set)}$ button for the value to be stored.
- By pressing the button to exit the set point menu and return to actual temperature display and the symbol will distinguish, and the set temperature <u>will</u> <u>not</u> be stored.

Please note that the display will fluctuate by a few degrees as the heating element turns on and off as it maintains the temperature.

Whilst heating the controller will show the symbol on the display.



Cleaning Instructions

The appliance should be cleaned after every use.

- Allow unit to cool down before emptying or cleaning.
- Turn off unit at the mains power.
- Remove glass doors, slide the shelves out and wipe down.
- Unhook the shelf supports from the sides of the unit, this will provide enough clearance to remove the element guard.
- With the element guard removed, wipe down the machine using a soft cloth. Abrasive materials should not be used under any circumstances.
- Stainless steel cleaners maybe used and cleaning instructions on the product must be adhered to.
- Never clean the unit with water jets.

Maintenance Instructions



Ensure the appliance is isolated from the power supply before installing, cleaning or maintaining the appliance.

Maintenance and service must only be undertaken by a qualified electrician.



Parry Catering provides a complete after-sales service by offering the sales of spare parts directly to customers. Buying spares straight from the manufacturer allows customer to experience exceptional value and speedy delivery on all spare parts.

For more information on buying spares visit:

www.parry.co.uk/parry-commercial-catering-spares

P

Fault Finding

Fault	Check	Solution
No power to unit	Check that the main light comes on.	Turn on mains power
	Try another appliance in the socket and the socket is turned on	If the socket is working fine check the fuse in the plug of the appliance
		See an engineer to replace faulty switch, or bulb.
Unit too cool	Check to see if the controller set point temperature has not been decreased.	If unable to resolve, contact Parry
Display lamp does not illuminate when power is turned on.	Disconnect power and remove top cover check that lamp has not come loose or blow, replace lamp.	If the problem continues, contact Parry



Service Information

This appliance should be routinely serviced to prolong its lifetime. Parry recommends that the appliance is serviced every 12 months by a Parry authorised engineer. Failure to service your product within the initial 12-month warranty period will cause the 24-month warranty to become void.

If the supply cord becomes damaged, it must be replaced by the manufacturer, it's service agent, or a similarly qualified person.

Enhanced 2 Years Warranty


Parry Catering (Midlands) Ltd offer an enhanced warranty of two years (including parts and labour) on all of the Parry manufactured products.

If you have any issues with your product and wish to request a warranty call you can contact our friendly team who will organize a Parry approved service engineer to attend and fix your problem.


All warranty requests can be sent to warranty@parry.co.uk alternatively call our warranty department for technical assistance on 01332875544











P

Parts List

Part Number	Description	CPCDP
1	*TOP	*No Code
2	REAR GLASS	PLGLSPCBACK
3	BULB HOLDER / BULB / BULB COVER	LAMP0027W (Capsule Lamp G9 27W 230-240V)
4	*MAIN UNIT	*No Code
5	TERMINAL BRACKET ASSEMBLY	TERMBRKT1
6	CABLE BUSH	BUSR06003
7	MAINS CABLE	MAINSLEAD
8	*BASE	*No Code
9	FEET	RUBBRFOOT
10	*ELEMENT COVER	*No Code
11	DOOR HANDLE	KNBK11680
11 a	BLACK RUBBER MIRROR PLUG	WASHERPMC
12	DOOR GLASS	PLGL306362
13	*HINGE	*No Code
14	SCREW	FAST018
15	RUBBER WASHER	WASHM5X14X2
16	WASHER	FAST057
17	NUT	FAST045
18	MAGNET CATCH	MAGNETCH
19	DIGITAL CONTROLLER	CONTROLLER8820
20	SWITCH	SWRE00011
21	ELEMENT	ELPW0250

^{*}Metalwork Components



Warranty Information

The manufacturer's warranty is only valid in the UK mainland. Northern Ireland, Western Isles, Inner Hebrides and Islands are parts only warranty. Please be aware that the warranty starts from the date of purchase from Parry and not the sale or installation date of the equipment.

To be eligible for a 2-year warranty, products must be serviced at least once within the first 12 months of purchase.

All service calls will be carried out between 8am and 5pm, Monday to Friday.

Your warranty is invalid if your equipment has not been installed in accordance with the manufacturer's instructions. The misuse, alteration or unauthorised repairs of the equipment will also invalidate the warranty.

During the warranty period it is at Parry's discretion whether to repair or replace the equipment.

The warranty only applies if the equipment has been used in a professional manner following the manufacturer's instructions and maintenance guidelines.

The warranty covers defects in the material and component failure only. We are not liable for trading loss, loss of perishable items, water damage or loss due to injury or fire damage.

Please ensure you have referred to the manufacturer's instruction before placing a warranty call.

Contact our warranty department on **01332 875544** for technical assistance.

Please have your model number ready before calling.

All warranty requests must be submitted to warranty@parry.co.uk.

Failure to pay any warranty charges will result in your warranty being put on hold until the bill has been settled. Any issues regarding the raised charges should be put in writing to our warranty department for further investigation.

Register your product by visiting our website **www.parry.co.uk**

Not covered under warranty

- Fault due to incorrect installation, poor maintenance or equipment abuse.
- Resetting of equipment or circuit breakers.
- Faulty electrics e.g. customer's plug socket, plug, wiring, junction box fault, wrong fuse.
- Products must be serviced within the first 12 months to be eligible for the 2-year warranty
- Product not covered by warranty if combustible materials have been used, e.g. plastic trays.
- Foil used on racks, blockages and lime scale issues.

- Failure to grant access for pre-arranged service call.
- Equipment that has been set up or used incorrectly e.g. dishwasher detergents, levelling and setting up of doors on a six-burner cooker.
- Excessive carbon build-up on griddle plates or overuse of lava rock on chargrills. (Recommended use by Parry no more than 2kg.)
- All of the above points are not covered by warranty and any costs incurred, because of the above, will be forwarded to the parties responsible for placing the call.



Disposal & Recycling

This appliance is marked according to the European Directive 2002/96/EC on Waste Electrical and Electronic Equipment (WEEE).

By ensuring this product is disposed of correctly, you will help prevent potential negative consequences for the environment and human health which could otherwise be caused by inappropriate waste handling of this product.

A symbol on the product, or on the documents accompanying the product, indicates that



this appliance may not be treated as household waste. Instead it should be handed over to the applicable collection point for the recycling of electrical and electronic equipment.

Disposal must be carried out in accordance with local environmental regulations for waste disposal.

For more detailed information about treatment, recovery and recycling of this product, please contact your local city office, your household waste disposal service or the shop where you purchased the product.

Parry Catering recognises our obligations to the EU DIRECTIVE covering the waste disposal of electrical and electronic equipment (WEEE). Parry Catering are committed to this policy in order to help conserve the environment.

At the end of this unit's life you MUST dispose of it in an approved manner. You MUST not discard the unit or place it in the refuse bin.

You have several options:

- Take the unit to an approved WEEE scheme company, there will be one in your area.
- Take the unit to an approved waste disposal site; many sites are managed by your local authority.
- Contact the unit's manufacturer, importer or their agent; the contact details will be on the unit.

There will probably be a charge for this service which will depend on the physical size and location of the unit. You will be given a collection price for a curb side collection based on commercial rates prevailing at the time.

It should be noted that the unit to be collected should be suitably packed and sealed to prevent dangerous gases and fluids from escaping. The condition of the unit must also be clean to comply with health and safety regulations.