CAMSHELVING® GN FOOD PAN TROLLEYS

Designed to Last for Life StoreSat

New!

Full Size GN 2/1 Trolley UGNPR21F36

Lifetime Warranty Against Rust and Corrosion





Full Size GN 1/1 Trolley

UGNPR11F18

www.cambro.com

Durability, Safety and Longevity

The Camshelving[®] **GN Food Pan Trolleys** represent a major product evolution for bulk food holding and transport. Unlike the wide array of metal trolleys in the market, these trolleys will never have failing weld points, dented frames or sharp metal edges, hard to clean corners, rust and corrosion or damage beyond repair. Every single part is replaceable for a lifetime of service. Constructed of similar composite materials as Camshelving with easy to clean smooth surfaces and high performing features, these trolleys are guaranteed to provide end users with years of unparalleled performance and value.

EASY TO CLEAN

Impervious to food acids or harsh chemicals. No sharp corners to collect hard to clean food residue and grease. Wipe clean or pressure wash.



MOLDED IN PAN STOPS 3 mm (0.12") pan stops at each rail end provide stability during transport.

> FULLY ACCESSIBLE End or side load design with no middle crossbar provides unobstructed access to contents.



RAIL SPACING Wide 7,6 cm (3") rail spacing offers greatest versatility and ease of use.

> **VERSATILE PERFORMANCE** Use in kitchen, freezer or cooler.

> Hold hot pans from oven up to 200°C (392°F). Transport on or off premise.

COMPACT, HIGH VOLUME STORAGE Free up valuable shelf space in coolers or freezers. Optimize air flow around pans for cooling or thawing large quantities of food.



STABLE, SMOOTH MANEUVERABILITY Solid top and bottom locking frames combined with 4 premium plastic casters provides a quiet, smooth gliding trolley that easily maneuvers anywhere.



PREMIUM CASTERS Heavy duty 12,7 cm (5") casters with nonmarking thermoplastic rubber wheel are all swivel with total locking brake. Brake locks both swivel and wheel.

Weight Bearing

| Per Rail Set | All Units | 45 kg (100 lbs.) |
|--------------|-----------|-------------------|
| Per Unit | Full Size | 340 kg (750 lbs.) |
| | Half Size | 170 kg (375 lbs.) |

Holding Capacity GN 1/1, 6,5 cm (2½") deep

| Full Size | End | 18 | 1 pan |
|-----------|------|------|--------------|
| 1/1 | Load | each | per rail set |
| Full Size | Side | 36 | 2 pans |
| 2/1 | Load | each | per rail set |

Quick And Easy Assembly

Ships knockdown (KD) complete in 1 box with casters and bottom frame wedges factory installed on posts. Comes together in 4 steps with 1 tool.



ENHANCED FOOD SAFETY, EXPANDED USAGE Unique top frame supports 1 or 2 GN 1/1 food pans to protect contents below during storage and transport. Or use a GN 1/1 cutting board to create a light duty prep station (GN 1/1 Half Size Trolley only).

GN 1/1 Food Pan Trolley Capacity* 1 f

| full | size | pan | per | rail | set, | end | load | |
|------|------|-----|-----|------|------|-----|------|--|
| | | | | | | | | |

| | 6,5 cm (2½") | 10 cm (4") | 15 cm (6") | 20 cm (8") | | |
|-------------------|-----------------|---------------|---------------|---------------|--|--|
| Full Size Tro | ley | | | | | |
| 1/1 Pans | 18 | 9 | 9 | 6 | | |
| 1/2 Pans | 36 | 18 | 18 | 12 | | |
| 1/3 Pans | 54 | 27 | 27 | 18 | | |
| Half Size Trolley | | | | | | |
| 1/1 Pans | 9 | 4 | 4 | 3 | | |
| 1/2 Pans | 18 | 8 | 8 | 6 | | |
| 1/3 Pans | 27 | 12 | 12 | 9 | | |

*Not including top frame position. Top post connector frame holds GN 1/1 full size food pan or GN 1/1 cutting board. Bottom rail set holds 6,5 cm (2½") deep only.





UGNPR11H9

UGNPR11F18



GBCTUGNPR11 **Optional Heavy Duty Vinyl Cover** for GN 1/1 Full Size Trolley.

All Trolleys ship knockdown (KD) complete in 1 box with casters and bottom frame wedges factory assembled on posts.

GN 2/1 Food Pan Trolley Capacity* 2 full size pans per rail set, side load

| | 6,5 cm (2½") | 10 cm (4") | 15 cm (6") | 20 cm (8") |
|---------------|-----------------|---------------|---------------|---------------|
| Full Size Tro | ley | | | |
| 1/1 Pans | 36 | 18 | 18 | 12 |
| Half Size Tro | lley | | | |
| 1/1 Pans | 18 | 8 | 8 | 6 |

*Not including top frame position. Top post connector frame holds two GN 1/1 full size food pans. Bottom rail set holds 6,5 cm (2½") deep only.



UGNPR21H18

UGNPR21F36

GBCTUGNPR21 **Optional Heavy Duty Vinyl Cover** for GN 2/1 Full Size Trolley.

| CODE | DESCRIPTION | DIMENSIONS L x W x H** | UNIT WEIGHT |
|----------------------------|-----------------------------|---|-----------------------|
| GN 1/1 Food Pan Trolley | 'S | | |
| UGNPR11F18 | Full Size Trolley | 73,03 x 43,8 x 170,7 cm (28.75" x 17.25" x 67.19") | 24,56 kg (54.15 lbs.) |
| UGNPR11H9 | Half Size Trolley | 73,03 x 43,8 x 101,6 cm (28.75" x 17.25" x 40") | 15,28 kg (33.68 lbs.) |
| GN 2/1 Food Pan Trolley | /S | | |
| UGNPR21F36 | Full Size Trolley | 83,5 x 64,5 x 170,7 cm (32.88" x 25.38" x 67.19") | 27,68 kg (60.90 lbs.) |
| UGNPR21H18 | Half Size Trolley | 83,5 x 64,5 x 101,6 cm (32.88" x 25.38" x 40") | 17,14 kg (37.70 lbs.) |
| Full Size Trolley Vinyl Co | overs | | |
| GBCTUGNPR11 | For GN 1/1 | 66,3 x 47,2 x 154,4 cm (26.1" x 18.6" x 60.8") | _ |
| GBCTUGNPR21 | For GN 2/1 | 78,7 x 67,9 x 154,4 cm (30.97" x 26.73" x 60.8") | |
| Case Pack: 1 Trollev (| Color: Speckled Grev (480). | Cover Color: Clear (CLR). Vinvl cover not NSF listed. **Includes 12.7 cm (5") Casters. | |

Grey (480). Cover Color: Clear (CLR). Vinyl cover not NSF listed. fIncludes 12,7 cm (5") Casters.



Patent Pending

For more information about Cambro products visit www.cambro.com or contact your Distributor, Cambro Sales Representative or the Cambro Customer Service Department.



CAMBRO U.S.A. TEL: 1(714) 848-1555 FAX: 1(714) 230-4375 international@cambro.com

CAMBRO EUROPEAN LOGISTICS TEL: (49) 7022 90 100 0 FAX: (49) 7022 90100 19 cambroeurope@cambro.com

CAMBRO UK TEL: 0800 587 0057 Toll Free FAX: 0845 280 3411 cambrouk@cambro.com

CAMBRO IRELAND TEL: 1800 509 046 Toll Free FAX: 01 633 55 76 cambroireland@cambro.com

© Copyright Cambro Manufacturing Company. Printed in the U.S.A.

LITX20GNFPTREN