


Model:
 XPD1250-N-MK2

Heavy duty double door display freezer
 10 x adjustable shelves, twin vertical mullion mounted LED lighting



General Information

Prodis XPD1250-N-MK2 double door heavy duty, energy efficient, professional display freezer with twin vertical LED lighting.



D

Key Features

Construction

Energy Label

- 18°C to -22°C temperature range
- Forced air refrigeration
- 10 x adjustable shelves (551x470mm)
- (10) shelf edge ticket strips
- Twin vertical LED lighting
- 1006/702 litre (gross/net) volume
- 1.39m² display area
- Self closing triple glazed doors with Low E treatment
- HMI digital temperature controller
- R290 refrigerant
- 13amp plug in cabinet

- RAL7015 Slate Grey exterior
- White cabinet interior with stainless steel floor for durability
- Low profile aluminium door frames for increased product visibility



Prodis XPD1250-N-MK2



6377 kWh/annum

1.39 m²

-15°C
 -18°C

Technical Data

Model	XPD1250-N-MK2
Colour	RAL7015 Slate Grey Exterior
Door Frame	Low profile aluminium
Glass	Triple glazed with low E treatment (2 layers tempered)
Door handle	Full length
Cabinet construction	Painted steel
Gross volume	1006 litres
Net volume	702 litres
Display Area	1.39m ²
Cabinet dimensions	1253 x 760 x 2003 (w,d,h mm)
Internal dimensions	1133 x 580 x 1568 (w,d,h mm)
Packaged dimensions	1278 x 780 x 2090 (w,d,h mm)
Shelf dimensions	551 x 470mm
Net weight	240 kg
Gross weight	270 kg
Heated glass	✓
Doors	2
Self closing	✓
Shelves	10 (551 x 470mm) adjustable
Shelf edge ticket strips	✓
Controller	Digital HMI
Door dimensions	742 x 1587 (w, d mm)
Lights	Twin vertical LED mullion mounted
Light power	24w
Light switch	External
System type	Plug-in
Temperature range	-18°C to -22°C
Climate class	3 (25°C; 60%RH)
Refrigerant	R290
Refrigerant charge	160 gram (2 x 80g twin system)
Compressors	2
Evaporator fans	2
Condenser fans	2
Noise level	≤65 dB
Energy consumption	17.47 kWh / 24h
Rated power	1472 W
Voltage	220V / 50Hz
Fuse requirements	13amp




PANORAMIC FRAMELESS GLASS DOOR MULTIDECK

Approvals

Available At

Document #

