

Product Code: XR600L 33-185 xtra by Foster 600 Litre Upright Freezer Cabinet



Features & Benefits

- The xtra range: Built for you, designed for your budget
- Reliable and robust refrigeration at an affordable price
- In stock and available now for immediate shipping
- Robust stainless steel finish
- Easy read microprocessor controller provides simple and accurate temperature control
- Full Foster 2 years parts and labour warranty

| Doors | | Refrigeration | | Electrical & Service Data | |
|-----------------------|----------|-------------------------|----------|----------------------------|----------|
| Solid | Standard | R290 - Energy Efficient | Standard | Connect Load | 650 |
| Left Hand Hinged Door | Option | Finish | | 230/50/1 | Standard |
| Specification | | | | 220/60/1 Electrical Supply | Option |
| Specification | | s/s ext & alu int | Standard | Fuse Required (A) | 10 |
| Freezer -18/-21°C | Standard | | | | |
| Width (mm) | 675 | | | Energy | |
| Depth (mm) | 850 | | | kWh (24 hours) | 7.2224 |
| Height (mm) | 1985 | | | AEC | 2636.18 |
| Gross Volume (Ltr) | 600 | | | Nett Volume | 440.2710 |
| | | | | Energy Grade | D |
| | | | | Global Warming Potential | 3 |
| | | | | Energy Efficiency Index | 72.39 |

Footnotes

- Extra shelf and pair of trayslides available as an option
- •

Energy Performance Data and information



Application

This appliance is intended for use in ambient temperatures up to $\{1\}^\circ\!C$

Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit our policies



Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU Phone 08432 168800 | Email sales@foster-uk.com | Visit www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.